



C2150-609^{Q&As}

IBM Security Access Manager V9.0 Deployment

Pass IBM C2150-609 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2150-609.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The IBM Security Access Manager V9.0 high-volume database stores data for which component?

- A. Cluster
- B. Runtime Server
- C. Advanced Access Control
- D. Distributed Session Cache

Correct Answer: B

QUESTION 2

An IBM Security Access Manager (ISAM) V9.0 environments is configured with Primary and Secondary Masters servers. The Primary master node becomes unavailable and ISAM deployment professional promotes the Secondary Master node to a Primary Master.

What happens to the original Primary Master when it becomes available and rejoins the network?

- A. It is automatically removed from the cluster.
- B. It is automatically demoted to the role of a non-master node.
- C. It is automatically promoted to the role of a primary Master node.
- D. It is automatically demoted to the role of a Secondary Master node.

Correct Answer: C

QUESTION 3

A customer has expressed the requirement that users accessing online-banking application must first authenticate using a userid/password and successfully enter a one-time PIN which is texted to a cell phone.

Which two IBM Security Access Manager (ISAM) V9.0 modules are required to fully implement the solution? (Choose two.)

- A. ISAM PAM Module
- B. ISAM Cloud Module
- C. ISAM Federation Module
- D. ISAM Advanced Control Module
- E. ISAM Access Manager Platform

Correct Answer: CE



QUESTION 4

During testing of an application the deployment professional is receiving frequent alerts about high disk utilization.

What action can be taken to resolve this issue?

- A. Enable log rotation and compression
- B. Resize the virtual disk and extend the active partition
- C. Configure the appliance to store log and trace to a remote server
- D. Enable the appliance background scheduler to clear unused log and trace files on a periodic basis.

Correct Answer: C

QUESTION 5

An IBM Security Access Manager V9.0 deployment specialist is getting reports of failing requests. Analysis of a support file shows many connections to the backend server in TIME_WAIT state?

Where is the setting "sysctl.net.ipv4.tcp_tw_reuse = 1" added?

- A. In the [tcp] stanza of the reverse proxy instance conf file
- B. In the [server] stanza of the reverse proxy instance conf file
- C. In the LMI "Manage System Settings -> Network Settings -> Tuning" panel
- D. In the LMI "Manage System Settings -> System Settings -> Advanced Tuning Parameters" panel

Correct Answer: A

[C2150-609 PDF Dumps](#)

[C2150-609 VCE Dumps](#)

[C2150-609 Study Guide](#)