



C2180-279^{Q&As}

IBM Worklight V6.0 Mobile System Administration

Pass IBM C2180-279 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2180-279.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which of the following API can be used across all environments to debug Worklight application?

- A. console.log
- B. console.debug
- C. WL.Logger.debug
- D. WL.Debugger.log

Correct Answer: C

QUESTION 2

An application needs to log into an existing backend with the fields username, password, pin code and account number. Which set of actions does the developer need to take in addition to creating a custom Java Authenticator?

- A. - Use the auth.js as is to display the login form- Configure the authenticationConfig.xml- Create client-side authentication components
- B. - Configure the authenticationConfig.xml- Configure the worklight.properties- Create client-side authentication components
- C. - Configure the authenticationConfig.xml- Create a custom Java Login Module- Create client-side authentication components
- D. - Configure the authenticationConfig.xml- Create a custom Java Login Module- Use the auth.js as is to display the login form

Correct Answer: C

QUESTION 3

Which object's properties should be overwritten in order to override system messages?

- A. WL.SystemMessages
- B. WL.Messages
- C. WL.Resources.Messages
- D. WL.ClientMessages

Correct Answer: D

QUESTION 4



A developer is debugging a form-based authentication and at a point the issue is narrowed down to the challengeHandler object. The following implementation describes the challenge handler:

```
var cHandler = WL.Client.createChallengeHandler('realm1');
cHandler.isCustomResponse = function(response) { ... };
cHandler.handleChallenge = function(response) { ... };

cHandler.submitLoginFormCallback = function(response) {
    var isLoginFormResponse = cHandler.isCustomResponse(response);
    if (isLoginFormResponse) {
        cHandler.handleChallenge(response);
    } else {
        cHandler.submitSuccess();
    }
};

$('#loginButton').bind('click', function () {
    var reqURL = 'http://myhost:80/worklight/j_security_check';
    var options = {};
    options.parameters = {
        j_username : $('#usernameInputField').val(),
        j_password : $('#passwordInputField').val()
    };
    options.headers = {};
    cHandler.submitLoginForm(reqURL, options,
        cHandler.submitLoginFormCallback);
});

$('#cancelButton').bind('click', function() {
    cHandler.submitFailure();
})
```

What is the problem with this challenge handler?

- A. The user is not implementing the mandatory challenge handler functions submitFailure() and submitSuccess().
- B. The user credentials should be sent to the server using a secured protocol. The correct definition is: var reqURL = '\\https://myhost:80/worklight/j_security_check\\';.
- C. The variable reqURL cannot include the hostname and port. The correct definition is: var reqURL = '\\j_security_check\\';.
- D. The function createChallengeHandler() is not properly invoked, it also takes the security test. The correct definition is: var cHandler = WL.Client.createChallengeHandler('\\test1\\', '\\realm1\\');.

Correct Answer: C

QUESTION 5

A Worklight adapter is used to _____.



- A. adapt the application to various environments (iOS, Android etc)
- B. connect to various back-end systems
- C. make sure that client application works directly with a corporate back-end system
- D. make sure that client application is not running on a JailBroken/Rooted device

Correct Answer: B

[C2180-279 VCE Dumps](#)

[C2180-279 Exam Questions](#)

[C2180-279 Braindumps](#)