# C2180-371<sup>Q&As</sup>

Web Services Development for IBM WebSphere Application Server V7.0

# Pass IBM C2180-371 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/C2180-371.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center


- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Refer to the exhibit.



What could be preventing the developer from modifying some properties in the wizard?

- A. The Java Bean contains an @Web Service annotation
- B. The delegate class for the Web service already exists
- C. The developer had selected JAX-RPC for the Web services runtime
- D. The Web project containing the Java bean is at the J2EE 1.4 level

Correct Answer: A

#### **QUESTION 2**



### https://www.pass4itsure.com/C2180-371.html 2022 Latest pass4itsure C2180-371 PDF and VCE dumps Download

Which WSDL style is suited to sending binary tree nodes as part of a SOAP message?

- A. RPC/literal
- B. RPC/encoded
- C. Document/encoded
- D. Document/literal
- E. Document/literal wrapped

Correct Answer: B

#### **QUESTION 3**

The following methods are to be published as Web services to be invoked via SOAP messages and validated with a schema: public void my Method(int x, float y); public void my Method(int x); public void someOtherMethod(int x, float y); Which WSDL style should be used?

- A. RPC/literal
- B. RPC/encoded
- C. Document/encoded
- D. Document/literal
- E. Document/literal wrapped

Correct Answer: A

#### **QUESTION 4**

Which of the following are ways to add or customize an HTTP header to a Web service request in IBM Web Sphere Application ServerV7.0.

- A. Specify the values to be set on a policy set and attach the policy set to the client reference
- B. Use a JAX-WS Logical Handler and get/set the HTTP headers from the JAXWSMessageContext
- C. Use a JAX-WS Protocol Handler and get/set the HTTP headers from the JAX-WS Message Context
- D. Create a Hash Map containing the transport headers and set the Hash Map on the JAX- WS Service under a property named REQUEST\_TRANSPORT\_PROPERTIES
- E. Create a Hash Map containing the transport headers and set the Hash Map on the JAX- WS Binding Provider under a property namedREQUEST\_TRANSPORT\_PROPERTIES

Correct Answer: CE



## https://www.pass4itsure.com/C2180-371.html 2022 Latest pass4itsure C2180-371 PDF and VCE dumps Download

#### **QUESTION 5**

Which of the following situations is the best candidate for message-level security?

- A. Basic authentication is required
- B. Untrusted intermediaries are involved
- C. Confidentiality of the message is only required from point-to-point
- D. Client-side and server-side authentication through certificates is required

Correct Answer: B

Latest C2180-371 Dumps

C2180-371 PDF Dumps

C2180-371 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

## **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.