

C2180-410^{Q&As}

IBM MQ V8.0, System Administration

Pass IBM C2180-410 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/c2180-410.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/c2180-410.html 2022 Latest pass4itsure C2180-410 PDF and VCE dumps Download

QUESTION 1

A system administrator would like to capture accounting and statistics data to analyze performance of channels across multiple platforms.

Where can the system administrator capture the data?

- A. In the System Management Facility (SMF).
- B. On SYSTEM.ADMIN.PERFM.EVENT queue.
- C. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE.
- D. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE for distributed platforms and in System Management Facility (SMF) for the z/OS platform.

Correct Answer: C

QUESTION 2

For a queue manager with CHLAUTH(DISABLED), the AUTHINFO has been defined as follows:

DEFINE AUTHINFO ('CHECK.PWD\\') AUTHTYPE (IDPWOS) CHCKCLNT (REQUIRED) ADOPTCTX (NO)

A developer tried to test the connection by setting the MQSAMP_USER_ID to "user1" setting the MQSERVER environment variable, and running the amqsputc sample program. The developer logon ID, "user2", has no access to the queue

manager, but "user1" has all the required access.

When the developer ran amqsputc, it prompted for a password. The developer provided a valid password for "user1", but amqsputc failed with the MQRC_NOT_AUTHORIZED 2035 reason code.

What did the system administrator identify as the cause for the 2035 reason code?

- A. "user1" is not defined in LDAP.
- B. "user1" does not have access to the channel.
- C. "user2" does not have access to the MQ objects.
- D. The password for "user2" must be provided when amqsputcprompted for a password.

Correct Answer: B

QUESTION 3

After a system crash, a system administrator tried to start queue manager QM1, but it failed with this error:

AMQ7047: An unexpected error was encountered by a command. In the queue manager error log, this error was reported:



https://www.pass4itsure.com/c2180-410.html

2022 Latest pass4itsure C2180-410 PDF and VCE dumps Download

AMQ7472: Object QM1, type catalogue damaged.

The queue manager was using linear logging.

The system administrator needs to recover the queue manager. How can the system administrator do this?

- A. Restore the queue manager active logs from a back up.
- B. Run rcdmqimg command against the queue manager object.
- C. Run rcrmqobj command against the queue manager object
- D. Delete the file containing the damaged queue manager object and restart the queue manager.

Correct Answer: D

QUESTION 4

A JMS 2.0 application running on z/OS specifies a delivery delay of 20 seconds when sending messages. What must the system administrator do to support the delivery delay?

- A. Set TCP Delivery Delay for the listener to 20.
- B. Ensure SYSTEM.DDELAY.LOCAL.QUEUE exists as a local queue.
- C. Configure SetDeliveryDelay (20000) for the connection factory.
- D. Configure SetDeliveryDelay (20000) for SYSTEM.DDELAY.LOCAL.QUEUE.

Correct Answer: C

QUESTION 5

A system administrator has set up the MQ infrastructure in a company as shown below:

There are three queue managers QMGR1, QMGR2 and QMGR3.

QMGR2 and QMGR3 are part of a cluster MYCLUS.

QMGR1 and QMGR2 are connected using sender-receiver channels using QMGR2 as the transmission queue.

As part of a new requirement, the system administrator creates the following definitions QMGR1 defqr(MQ8QM.REMOTE) RNAME (MQ8QM.LOCAL) RQMNAME (MQ8QM) XMITQ

QMGR2:

defqr (MQ8QM) RQMNAME (QMGR3)

defqlocal (MQ8QM.NEW)

QMGR3:

defgalias (MQ8QM.LOCAL) target (MQ8QM.NEW)



https://www.pass4itsure.com/c2180-410.html

2022 Latest pass4itsure C2180-410 PDF and VCE dumps Download

defqlocal (MQ8QM.NEW)

The system administrator tests the connectivity by putting a message on MQ8QM.REMOTE on QMGR1 using IBM WebSphere MQ Explorer. Where does the message end up?

- A. MQ8QM.NEW on QMGR2
- B. MQ8QM.NEW on QMGR3
- C. Dead-letter queue on QMGR2
- D. Dead-letter queue on QMGR3

Correct Answer: C

C2180-410 VCE Dumps

C2180-410 Study Guide

C2180-410 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.