



# C4040-129<sup>Q&As</sup>

IBM i 7.1 Administration

**Pass IBM C4040-129 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c4040-129.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An administrator has been provided with a POWERS system for a disaster recovery test. The Licensed Internal Code has been loaded and the disks initialized.

The recovery of IBM i 7.1, which had originally been saved on a Power 720, failed.

Which action will resolve the problem?

- A. Use a D-Mode IPL to install the operating system.
- B. Restart the recovery specifying the Target Release parameter as 7.1.
- C. Install the operating system with the \*PREV option and specify POWERS as the system to restore to.
- D. Slip-install the LIC from the source system backup, and then continue with the remainder of the install.

Correct Answer: D

---

**QUESTION 2**

A customer is unable to order PTEs or send service requests to IBM. Which command will enable connections to IBM?

- A. CRTSRVCFG ROLE(\*PRIMARY)
- B. STRSRVAGTTYPE(\*ACTIVATE)
- C. SNDSVRQS ACTION(\*CONEIGURE) ROLE(\*PRIMARY)
- D. SNDPTEORD PTEID(\*ESERV) ESERV(\*PRIMARY) INIT(\*YES)

Correct Answer: A

---

**QUESTION 3**

After an abnormal IPL, jobs that are accessing some files for the first time are spending an extended amount of time in a status of "IDX" and are taking longer to complete. Which command should be used to enable all pending access path rebuilds to be analyzed, prioritized, and immediately executed rather than waiting for first access?

- A. WRKEFD
- B. EDTRBDAP
- C. WRKAPSTS
- D. WRKJOBAP

Correct Answer: B

---

**QUESTION 4**

After an upgrade from IBM i 5.4 to 7.1, an administrator is performing a disaster recovery (DR) test. LIBRARYA contains logical files that are based on physical files in LIBRARYB.

The restore procedure states that the administrator must perform a second restore of LIBRARYA with the option \*NEW to restore the logical files.

When the second restore is performed no logical files are restored.

Which statement explains why no logical files were restored?

- A. The Reclaim Database Cross Reference (RCLDBXREF) command was not run after the initial restore.
- B. During the initial save, the Allow Save (ALWSAV) attribute for the logical files was set to \*NO.
- C. IBM i 7.1 has the ability to defer the restore of logical files until the physical file is restored.
- D. During the second restore the administrator must use the parameter Defer ID (DFRID) with the \*DFT option to restore the logical files.

Correct Answer: C

---

**QUESTION 5**

An administrator needs to add a connection to System i Navigator to make it available for monitors, messages, and system activity. Where should the administrator configure this?

- A. Systems with partitions > Add System
- B. Endpoint systems> New End Point System
- C. My Connections > Connection to Systems> Add connection
- D. Endpoint systems> New End Point System > Discover Systems

Correct Answer: C

[Latest C4040-129 Dumps](#)

[C4040-129 PDF Dumps](#)

[C4040-129 VCE Dumps](#)