C4040-129^{Q&As}

IBM i 7.1 Administration

Pass IBM C4040-129 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c4040-129.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official
Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A "previous release to current release" system migration is being performed. An application on the source system manages image files stored in the IFS, viewed using PCs.

The Go Save menu, option 21 (full system save), was used to create the backup tape used in the migration process.

After the data is migrated and the new system set up, none of the images are available.

Which situation on the source system IFS directory, at the time of the backup, is the most likely cause of the problem?

A. The "Hidden file" attribute was set to "Yes"

B. The "Can be saved" attribute was set to "No".

C. The "Need to archive (PC)" attribute was set to "Yes".

D. The "Need to archive (System)" attribute was set to "No".

Correct Answer: B

QUESTION 2

After an upgrade from IBM i 5.4 to 7.1, an administrator is performing a disaster recovery (DR) test. LIBRARYA contains logical files that are based on physical files in LIBRARYB.

The restore procedure states that the administrator must perform a second restore of LIBRARYA with the option *NEW to restore the logical files.

When the second restore is performed no logical files are restored.

Which statement explains why no logical files were restored?

A. The Reclaim Database Cross Reference (RCLDBXREF) command was not run after the initial restore.

B. During the initial save, the Allow Save (ALWSAV) attribute for the logical files was set to *NO.

C. IBM i 7.1 has the ability to defer the restore of logical files until the physical file is restored.

D. During the second restore the administrator must use the parameter Defer ID (DFRID) with the *DFT option to restore the logical files.

Correct Answer: C

QUESTION 3

A customer has been experiencing network issues. When their network switch resets, the Ethernet line on IBM i fails. What is the correct setting for the line description so that it will continuously retry until the network switch recovers?

A. RESTART(*YES)

B. CMNRCYLMT(1 0)

C. VRYWAIT(*NOWAIT)

D. THRESHOLD(*NOMAX)

Correct Answer: B

QUESTION 4

How could an administrator save changed objects in directories for a specified date and time range?

A. Use the QSavDir API and specify the date and time range as variables.

B. Use the SAV command and specify the date and time range for the CHGPERIOD parameter.

C. Use the SAVCHG command and specify the date and time range for the PERIOD parameter.

D. Use the SAVCHGOBJ command and specify the date and time range for the REEDATE and REETIME parameters.

Correct Answer: B

QUESTION 5

An administrator started the journaling for library LIBA using the command STRJRNLIB with all parameters set to the IBM default. The administrator later needs to restore more than 100 new files to library LIBA, but does not want to have the journaling started for these newly restored files.

What is the fastest way to restore the files without starting the journaling?

A. Use the CHGJRN command to change the inherit rules for library LIBA and then perform the restore.

B. Restore the files to library LIBA and then manually end the journaling for the newly restored files.

C. Use the CHGJRNOBJ command to change the inherit rules for library LIBA and then perform the restore.

D. Use the command sequence ENDJRNLIB, STRJRNLIB, with new inherit rules for library LIBA and then perform the restore.

Correct Answer: C

[C4040-129 PDF Dumps](#)   [C4040-129 VCE Dumps](#)   [C4040-129 Practice Test](#)