



C4090-454^{Q&As}

IBM High-End Tape Technical Solutions V7

Pass IBM C4090-454 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c4090-454.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two are types of nodes in the TS7700 Virtualization Engine architecture? (Select two)

- A. hNode
- B. vNode
- C. sNode
- D. pNode
- E. tNode

Correct Answer: AB

QUESTION 2

To what value should the missing interrupt handler (MIH) be set for 3592 tape drives?

- A. 93 minutes
- B. 39 minutes
- C. Auto set by the system
- D. set explicitly to "disabled"

Correct Answer: C

QUESTION 3

A customer wants to encrypt data written to tape drives. A competitor offers an encryption solution that encrypts the data before sending to the tape drives for compression. IBM wants to offer IBM TS1140 tape drives using the built-in encryption feature. Which competitive advantage does the IBM solution provide?

- A. The TS1140 offers the most secure encryption method available on the market
- B. The TS1140 encrypts and compresses data at the same time for best throughput
- C. The TS1140 encrypts data before compressing in order to obtain best performance
- D. The TS1140 compresses data before encrypting in order to obtain the best compression ratio

Correct Answer: D

QUESTION 4



With TS1140 drives, if host software is used to compress the data before sending it to the drive, then:

- A. The drive will determine if the data should be compressed
- B. The drive data compression must be disabled to avoid performance issues
- C. The drive data compression must be disabled to avoid expansion of the data
- D. The Data Class parameter COMPACTION=YES must be set to optimize compression

Correct Answer: A

QUESTION 5

What function does the TS7700 Sync Mode Copy enable or perform?

- A. It copies the synchronized volumes between the clusters
- B. It synchronizes the copies of the TS7700 databases between clusters
- C. After writing the entire volume the TS7700 uses Sync Mode Copy to synchronize the data between all clusters
- D. When the host application issues an explicit synchronize operation all previously written records are replicated to another cluster

Correct Answer: D

[Latest C4090-454 Dumps](#)

[C4090-454 Practice Test](#)

[C4090-454 Study Guide](#)