



C5050-062^{Q&As}

Rational UrbanCode Deploy

Pass IBM C5050-062 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c5050-062.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the proper way to reference the environment property "databaseUrl" in a component process?

- A. \${databaseUrl}
- B. //databaseUrl//
- C. [databaseUrl]
- D. \${p:environment/databaseUrl}

Correct Answer: D

The environment property referenced: \${p:environment/propertyName}.

References: http://www.ibm.com/support/knowledgecenter/SS4GSP_6.0.0/com.ibm.udeploy.reference.doc/topics/ud_properties.html

QUESTION 2

When integrating with WebLogic (WLDeploy plugin), one required field is the location of the "WLDeploy Ant Task Jar." Where can you obtain this important file that is required for integration?

- A. You can download it from <http://oracle.com>.
- B. You can find it in the WebLogic's server directory.
- C. You can build the jar file manually in the WebLogic's server/lib directory.
- D. You can download it from the WebLogic interface.

Correct Answer: C

Basic Steps for Using wldesploy To use the wldesploy Ant task:

1.

Set your environment.

On Windows NT, execute the setWLSEnv.cmd command, located in the directory WL_HOME\server\bin, where WL_HOME is the top-level directory of your WebLogic Server installation. On UNIX, execute the setWLSEnv.sh command, located in the directory WL_HOME/server/bin, where WL_HOME is the top-level directory of your WebLogic Server installation.

2.

In the staging directory, create the Ant build file (build.xml by default). If you want to use an Ant installation that is different from the one installed with WebLogic Server, start by defining the wldesploy Ant



task definition:

3.

If necessary, add task definitions and calls to the wlsrserver and wlconfig tasks in the build script to create and start a new WebLogic Server domain.

4.

Add a call to wldploy to deploy your application to one or more WebLogic Server instances or clusters.

See Sample build.xml Files for wldploy and wldploy Ant Task Attribute Reference.

5.

Execute the Ant task or tasks specified in the build.xml file by typing ant in the staging directory,

optionally passing the command a target argument:

```
prompt> ant
```

References: https://docs.oracle.com/cd/E13222_01/wls/docs92/programming/wldploy.html

QUESTION 3

In addition to application and environment property types, which IBM UrbanCode Deploy (UCD) property types can be referenced in UCD processes?

- A. Resource, component and system properties
- B. Report, resource, and snapshot properties
- C. Component and resource template properties
- D. Component and snapshot properties

Correct Answer: A

Property types include: component, resource, system

References: http://www.ibm.com/support/knowledgecenter/SS4GSP_6.0.1/

[com.ibm.udeploy.reference.doc/topics/ud_properties.html](http://www.ibm.com/support/knowledgecenter/SS4GSP_6.0.1/com.ibm.udeploy.reference.doc/topics/ud_properties.html)

QUESTION 4

Which three statements are true about creating new component versions? (Select three.)

- A. New component versions can be created using the IBM UrbanCode Deploy client.



- B. New component versions can be created when updating the application configuration.
- C. New component versions can be created from the versions tab of the component.
- D. New component versions can be created using an IBM UrbanCode Deploy generic process.


Correct Answer: ACD

AD: Each time a component's artifacts are imported into the repository, including the first time, a separate version is stored in CodeStation. Versions can be assigned automatically by IBM UrbanCode Deploy, applied manually, or come from a build server.

If the component does not import new versions automatically, you can import versions manually.

C: Step 1: Step 2:

Click the **Components** tab, and then click the component that you created. You see this page





Version import overview

Next, click the **Versions** tab, and then click **Import new Versions**. You see this page:

The screenshot shows a dialog box titled "Import New Versions" with a close button in the top right corner. Inside the dialog, there are two input fields. The first is labeled "Version Name *" and has a question mark icon to its right. The second is labeled "Version Description" and also has a question mark icon to its right. Below the input fields, there are two buttons: a blue "Save" button and a grey "Cancel" button.

References:

<http://www.slideshare.net/ibmrational/ucd-components> (page 26)

http://www.ibm.com/support/knowledgecenter/SS4GSP_6.2.2/com.ibm.udeploy.doc/topics/comp_version.html

QUESTION 5

What can you use to represent one or more agents that are not yet installed or connected to an environment?

- A. Agent pools
- B. Agent prototypes
- C. Resource template
- D. Resource groups

Correct Answer: B

An agent prototype is a resource that represents one or more agents that are not yet installed or connected to an environment. You can use agent prototypes in resource templates to represent resources that are not yet available.

References: https://www.ibm.com/support/knowledgecenter/SS4GSP_6.1.1/com.ibm.udeploy.doc/topics/



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/c5050-062.html>

2024 Latest pass4itsure C5050-062 PDF and VCE dumps Download

resources_agents.html

[C5050-062 VCE Dumps](#)

[C5050-062 Practice Test](#)

[C5050-062 Study Guide](#)