

C7010-010^{Q&As}

IBM Cúram V6.0.4 Application Development

Pass IBM C7010-010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c7010-010.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

this be replaced with a set of radio buttons?

- A. Ensure that the underlying Domain Definition on the model resolves to SHORT_CODETABLE_CODE.
- B. Set the SHORT attribute on the FIELD to true.
- C. Set the Radio Button option on the Domain Definition to true.
- D. Set the Radio Button option on the corresponding struct to true.

Correct Answer: A

QUESTION 2

ADDRESS_DATA in Cúram client pages can be presented in a localized format.

ADDRESS_DATA in Cúram client pages can be presented in a localized format. Where is the format data

stored?

- A. curam-config.xml and CDEJResources.properties
- B. curam-config.xml, CDEJResources.properties and Application.prx
- C. curam-config.xml and curam.css
- D. curam-config.xml only
- E. CDEJResources.properties only

Correct Answer: A

QUESTION 3

Examine the piece of code shown:

```
VCE & PDF
Pass4itSure.com
```

```
<SERVER INTERFACE OPERATION="insertItem" CLASS="MaintainItem"</pre>
   NAME="insert SI" PHASE="ACTION" />
<SERVER INTERFACE OPERATION="getItems" CLASS="MaintainItem"</pre>
   NAME="getItems SI" PHASE="DISPLAY" />
<CLUSTER TITLE="Cluster.Title">
    ...
    <FIELD>
       <CONNECT>
            <INITIAL PROPERTY="first" NAME="getItems SI"
                HIDDEN PROPERTY="second" />
        </CONNECT>
        <CONNECT>
            <TARGET PROPERTY="third" NAME="insert SI" />
        </CONNECT>
    </FIELD>
    ...
</CLUSTER>
```

Which two of the following statements about this piece of code are true? [Select 2]

- A. The INITIAL element must be defined within a CONNECT element inside a FIELD element
- B. The HIDDEN_PROPERTY should have the same name as the TARGET PROPERTY
- C. A drop-down list containing the values for first and second is displayed
- D. A SOURCE element could also be added in the same field that contains the INITIAL element
- E. The PROPERTY third must be defined as a list

Correct Answer: AD

QUESTION 4

Which of the following are valid non-key stereotypes for entity operations?

- A. nkdelete
- B. nkread
- C. nkinsert
- D. nkremove
- E. nkreadmulti



Correct Answer: BDE

QUESTION 5

Which of the following are valid subdirectories of a server component directory?

- A. model
- B. codetable
- C. database
- D. EJBserver
- E. message

Correct Answer: ABE

<u>C7010-010 PDF Dumps</u>

C7010-010 Study Guide C701

C7010-010 Exam Questions