



# C9010-022<sup>Q&As</sup>

IBM AIX Administration V1

## Pass IBM C9010-022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9010-022.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

The/app1 filesystem in appvg did not mount due to a failure replaying jfslog1. Which command will reinitialize jfslog1?

- A. resysnclvodm -vjfslog1
- B. logform/dev/jfsiog1
- C. syncnvodm appvg jfslog1
- D. format-d/dev/jfslog1

Correct Answer: B

---

**QUESTION 2**

Solid State Drives (SSDs) have been added to a POWER7 system, and the administrator would like to migrate filesystems with high I/O activity to the SSDs. What TWO options or commands will assist the administrator with identifying filesystem activity?

(Select 2)

- A. svmon
- B. tprof
- C. filemon
- D. Hot File Detection
- E. fileplace

Correct Answer: CD

---

**QUESTION 3**

A physical LPAR has a failed Fibre Channel adapter, which was providing redundant SAN access. What is a prerequisite for using the Replace/Remove task of the PCI Hot Plug Manager?

- A. Verify HMC RMC connectivity.
- B. Unconfigure the adapter and child devices.
- C. Make sure a spare adapter slot is available.
- D. Provide additional SAN cabling.

Correct Answer: B

---

**QUESTION 4**

Given the output below, what is the purpose of the ent5 and ent6 interfaces?

```
root@aix2: / # lsdev -Cc adapter
ent0      Available 07-08 2-Port 10/100/1000 Base-TX PCI-X Adapter (14108902)
ent1      Available 07-09 2-Port 10/100/1000 Base-TX PCI-X Adapter (14108902)
ent2      Available 09-08 2-Port 10/100/1000 Base-TX PCI-X Adapter (14108902)
ent3      Available 09-09 2-Port 10/100/1000 Base-TX PCI-X Adapter (14108902)
ent4      Available          EtherChannel / IEEE 802.3ad Link Aggregation
ent5      Available          VLAN
ent6      Available          VLAN

root@aix2: / # lsattr -El ent5
base_adapter ent4 VLAN Base Adapter True
vlan_priority 0      VLAN Priority      True
vlan_tag_id   839    VLAN Tag ID       True
```

- A. Provides multiple logical networks using the IEEE 802.1 Q standard
- B. Monitors packet headers and creates the appropriate default routes
- C. Enables primary and backup EtherChannel adapter failover monitoring
- D. Allows the use of a IPv4 alias within the same subnet as the base adapter

Correct Answer: A

**QUESTION 5**

Based on the following output, what must be done if loglv1 name is changed to db2loglv?

```
# lsvg -l dbvg

dbvg:
LV NAME  TYPE      JFS2LOG  LPS  PPS  PVS  LV STATE      MOUNT POINT
loglv1   jfs2log   1       2    2    2    closed/syncd  N/A
dblv01   jfs2      128     256  2    2    closed/syncd  /exportfs/db01
```

- A. Run the chfs command to update /exportfs/db01 logging logical volume to db2loglv.
- B. Run the logform command to update the log format of db2loglv.
- C. Run the chlv command to update dblv01 logging logical volume to db2loglv.
- D. Run the chvg command to update volume group default logging logical volume to db2loglv.

Correct Answer: C