



C9010-022^{Q&As}

IBM AIX Administration V1

Pass IBM C9010-022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9010-022.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A host is already configured to access the network, and the administrator would like to configure a second adapter on the same system. This adapter should be permanently configured so that the new IP address is available when the system reboots. Which command should be used?

- A. ifconfig
- B. ipconfig
- C. mktcpip
- D. chdev

Correct Answer: D

QUESTION 2

Which Korn shell syntax is used to assign the directory of the called script to a variable called mydir?

- A. mydir=\$(dirname \$0)
- B. \$mydir=\$(dirname \$0)
- C. mydir=\${dirname @\$}
- D. mydir=\$(dirname \$?)

Correct Answer: A

QUESTION 3

A company has numerous LPARs hosting database servers, and three versions of the DBMS deployed in the environment. A critical APAR fixes data corruption for one version of the database, but it requires a server reboot. The only inventory information available is a spreadsheet with every LPAR's hostname and root password.

Which sequence of tasks will determine which servers are missing the critical APAR, and only apply it to the servers running the affected level of the database?

- A. Use the spreadsheet to populate the /etc/hosts file on the management node. Configure a NIM server that has the APAR in an lpp_source. Force-register all of the LPARs with the NIM server. Use NIM group operations to install the APAR and boot at a scheduledtime.
- B. Use the spreadsheet to create a dsh node list. Use dsh with lspp to create a node list for LPARs needing the APAR. Use dcp and dsh to install the APAR and reboot.
- C. Configure a Systems Director server using the spreadsheet import function. Use the inventory function to discover the database level and APAR status. Use the Update Manager to apply the APAR to the affected LPARs and reboot.
- D. Use the spreadsheet to create a dsh node list. Use dcp and dsh to install the APAR. Use dsh to reboot the systems.



Correct Answer: B

QUESTION 4

What is the most likely cause of the following error when configuring a system?

```
root@db2prod:/ # cfmgr
Method error {/usr/lib/methods/cfgefscsi -1 fscs1 } :
    0514-061 Cannot find a child device.

root@db2prod:/ # lsdev -Cc adapter
ent0          Available          Virtual I/O Ethernet Adapter (1-lan)
ent1          Available          Virtual I/O Ethernet Adapter (1-lan)
fcs0          Available 00-00 8GB PCI Express Dual Port FC Adapter (df1000f114108a03)
fcs1          Available 00-01 8Gb PCI Express Dual Port FC Adapter (df1000f114108a03)
```

- A. The auto-negotiation setting is disabled.
- B. The HBA port at fcs1 is not cabled.
- C. The RECOVERY policy on fscs1 has been set to disabled.
- D. The SDD multipath software has not been installed.

Correct Answer: A

QUESTION 5

Prior to performing a firmware upgrade on a POWER7 system managed by an HMC, which additional component needs to be verified?

- A. HMC firmware level using the IBM Power code matrix website
- B. Available disk space on HMC.
- C. Remote Command Execution capability on the HMC.
- D. Inventory Scout ports allowed on HMC firewall.

Correct Answer: C

[Latest C9010-022 Dumps](#)

[C9010-022 VCE Dumps](#)

[C9010-022 Study Guide](#)