



# C9010-251<sup>Q&As</sup>

Power Systems with POWER8 Scale-out Technical Sales Skills V1

## Pass IBM C9010-251 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9010-251.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following Linux distributions supports Little Endian (LE) on POWER8 processor- based?

- A. RHEL5
- B. SLES 11
- C. RHEL6
- D. Ubuntu 14

Correct Answer: D

---

**QUESTION 2**

A customer would like to have a mix of SSD and HDD on their S824 using the Expanded Function (18 disk) backplane (EJOP) and does not want to use Easy Tier functionality.

How can this be accomplished?

- A. Configure the SSDs and HDDs in separate arrays.
- B. Install the SSDs in the EJTM 8-Bay 1.8" SSD Cage.
- C. Configure all drives using RAID 5T2.
- D. Split the backplane and put the SSDs on one side of the backplane, and the HDDs on the other.

Correct Answer: A

---

**QUESTION 3**

A customer will be consolidating a number of IBM i and AIX partitions from several older servers onto an existing S824. These partitions are parts of various operating groups within the customer and require connectivity to various private networks and network redundancy. The server utilizes SAN Storage and dual VIO Server partitions.

Which solution satisfies the customer's requirements?

- A. Add two additional VIO Server partitions each with a quad port Ethernet card. Create an SEA in VIO Server to each port of the Ethernet card. Configure virtual Ethernet connections to the VIO Server partitions for each SEA with one flagged priority.
- B. Utilize two of the IBM i Partitions to bridge to the outside. Attach a quad port Ethernet IOA to each partition and bridge the ports to internal VLANs needed by the guest partitions.
- C. Add two SR-IOV capable Ethernet adapters. Allocate each of them to the partitions and create the connections to the correct VLANs as needed.
- D. In the existing VIO Server partitions, add a quad port Ethernet card. Create an SEA in VIOS to each port of the Ethernet card. Configure virtual Ethernet connections to the VIO Server partitions for each SEA with one flagged



priority.

Correct Answer: A

---

#### QUESTION 4

A customer is migrating a POWER6 520 to a 6-core S814. Which backplane will offer the best RAID 5 performance?

- A. Storage Backplane with (18) SFF-8 Bays and Dual SAS controllers with write cache
- B. Split Backplane with PCIe3 12GB Cache RAID SAS adapter and EXP24S
- C. Storage Backplane with (12) SFF-3 Bays integrated SAS controller
- D. Split Backplane with 6+6 SFF-3 Bays and second SAS controller

Correct Answer: A

---

#### QUESTION 5

Customers have a server using IVM as a logical partition management . They want to implement PowerVC.

Which PowerVC versions to meet the requirements ?

- A. PowerVC Entry
- B. PowerVC Express
- C. PowerVC Standard
- D. PowerUC Enterprise

Correct Answer: B

[C9010-251 PDF Dumps](#)

[C9010-251 VCE Dumps](#)

[C9010-251 Exam Questions](#)