



C9510-317^{Q&As}

IBM WebSphere Application Server Network Deployment V8.0 Core Administration

Pass IBM C9510-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9510-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A system administrator needs to install an enhanced EAR file using the Integrated Solutions Console (ISC). Which option must the administrator select to use the application-scoped resources?

- A. Deploy application resources
- B. Create MBeans for resources
- C. Process embedded configuration
- D. Precompile JavaServer Pages files

Correct Answer: C

QUESTION 2

The system administrator needs to generate a report of data sources for a WebSphere cell. To do so, the administrator should:

- A. parse the genVersionReport to list data sources.
- B. configure a monitored directory to capture this data.
- C. create a script by using the JDBC query scripts as examples.
- D. use the Integrated Solutions Console (ISC) to generate a data source report.

Correct Answer: C

QUESTION 3

A system administrator needs to add a business capability to an enterprise application (EAR). The capability is an OSGi bundle distributed as a separate Java archive (JAR) by a third-party application provider. How should the administrator do this?

- A. Deploy EAR and define the JAR as a shared library reference.
- B. Include JAR in EAR's lib directory and deploy the modified EAR.
- C. Create a business-level application (BLA) with the EAR and the JAR.
- D. Modify the EAR deployment descriptor's library-directory to include the directory with the JAR.

Correct Answer: C

**QUESTION 4**

A system administrator needs to create a resource that can be used exclusively by applications running on a specific node.

What configuration setting can be used to limit the visibility of this resource to users on that node?

- A. scope
- B. JNDI name
- C. node group
- D. authorization group

Correct Answer: A

QUESTION 5

A system administrator needs to customize an EAR application before deploying it using the monitored directory deployment feature. How should the system administrator do this?

- A. Create a properties file and include it in the EAR\\'s META-INF directory.
- B. Create a properties file and copy it to the deploymentProperties directory.
- C. Create a properties file and include it in the EAR\\'s deploymentProperties directory.
- D. Create a wsadmin script (with AdminTask.applyConfigProperties) and copy it to the deploymentProperties directory.

Correct Answer: B

[C9510-317 Practice Test](#)

[C9510-317 Study Guide](#)

[C9510-317 Braindumps](#)