



C9510-317^{Q&As}

IBM WebSphere Application Server Network Deployment V8.0 Core Administration

Pass IBM C9510-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9510-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A system administrator needs to modify the Java 2 security permissions for applications running on a server. How should the administrator perform this task?

- A. Use the PolicyTool.
- B. Use the iKeyman tool.
- C. Edit the was.policy file.
- D. Edit the security.xml file.

Correct Answer: A

QUESTION 2

Customers are complaining that a particular web site is "hanging". To troubleshoot the problem, a system administrator decides to trigger several thread dumps to determine which threads might be hung. How can the administrator trigger the thread dumps?

- A. Use wsadmin to execute the dumpThreads command for the application server.
- B. Run the collector command line script with the -Summary option set to "yes".
- C. Set the node agent's custom property "com.ibm.websphere.threadmonitor.dump.java" to true.
- D. From the Integrated Solutions Console (ISC), click the System dump button for the application server.

Correct Answer: A

QUESTION 3

A system administrator needs to install the IBM Installation Manager (IIM) using non- graphical interactive mode. To perform this operation, what should the administrator run?

- A. imcl -c
- B. imcl -s
- C. imcl -install
- D. imcl -updateAll

Correct Answer: A



QUESTION 4

An application is deployed to a WebSphere Application Server ND V8.0 cluster consisting of four cluster members.

Assuming the cluster is stopped, what should a system administrator do to delete the cluster?

- A. Delete the cluster.
- B. Remove the cluster members and delete the cluster.
- C. Uninstall the application and delete the cluster.
- D. Uninstall the application, remove the cluster members and delete the cluster.

Correct Answer: A

QUESTION 5

A system administrator needs to configure a new way to manage applications using the monitored directory deployment feature. How can the administrator enable it? The feature...

- A. can only be enabled in the Integrated Solutions Console (ISC).
- B. can be enabled using the Integrated Solutions Console (ISC) or wsadmin.
- C. is only available for a stand-alone server profile and is enabled by default.
- D. is enabled by default for both a stand-alone and network deployment editions.

Correct Answer: B

[C9510-317 Study Guide](#)

[C9510-317 Exam Questions](#)

[C9510-317 Braindumps](#)