



# C9510-319<sup>Q&As</sup>

IBM WebSphere Application Server Developer Tools V8.5 with Liberty Profile

## Pass IBM C9510-319 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9510-319.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which of the following is TRUE about specifying the SOAP version in JAX-WS?

- A. The JAX-WS @Binding Type annotation of SOAP12HTTP\_BINDING indicates to 1.2 on both HTTP and JMS
- B. The JAX-WS @Binding Type annotation of SOAP12 indicates to expose the Web service via SOAP 1.2 on both HTTP and JMS
- C. A Web service implementation defined with a JAX-WS @Web Service annotation defaults to expose the endpoint via SOAP 1.1 only.
- D. A Web service implementation defined with a JAX-WS @Web Service annotation defaults to expose the endpoint via SOAP 1.2 only.
- E. A Web service implementation defined with a JAX-WS @Web Service annotation defaults to expose the endpoint via both SOAP 1.1 and SOAP 1.2.

Correct Answer: AC

---

### QUESTION 2

Which IBM Rational Application Developer V7.5 tool can be used to validate the SOAP messages against WS-I standards?

- A. TCP/IP Monitor
- B. Profiling Monitor
- C. Web Services Explorer
- D. Universal Test Client (UTC)

Correct Answer: A

---

### QUESTION 3

Which of the following are ways to add or customize an HTTP header to a Web service request in IBM Web Sphere Application ServerV7.0.

- A. Specify the values to be set on a policy set and attach the policy set to the client reference
- B. Use a JAX-WS Logical Handler and get/set the HTTP headers from the JAXWSMessageContext
- C. Use a JAX-WS Protocol Handler and get/set the HTTP headers from the JAX-WS Message Context
- D. Create a Hash Map containing the transport headers and set the Hash Map on theJAX- WS Service under a property named REQUEST\_TRANSPORT\_PROPERTIES
- E. Create a Hash Map containing the transport headers and set the Hash Map on the JAX- WS Binding Provider under



a property named REQUEST\_TRANSPORT\_PROPERTIES

Correct Answer: CE

#### QUESTION 4

JSR109 defines the life cycle of a Service Implementation Bean in the Web container.

Which sequence of statements below is TRUE?

A. 1. The Web container calls the method annotated with javax.annotation.PostConstruct annotation.

2.

The web container creates a new instance of the Service Implementation Bean.

3.

The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.

4.

For the web container with JAX-WS runtime, the method annotated javax.annotation.PreDestroy is called.

B. 1. The web container creates a new instance of the Service Implementation Bean.

2.

For web containers with JAX-WS runtime, the container calls the method annotated with javax.annotation.PostConstruct annotation.

3.

The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.

4.

For the web container with JAX-WS runtime, the method annotated with javax.annotation.PreDestroy is called.

C. 1. The web container creates a new instance of the Service Implementation Bean.

2.

For web containers with JAX-WS runtime, the container calls the method annotated with javax.annotation.PostConstruct annotation.

3.



The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.

4.

For the web container with JAX-WS runtime, the method annotated with `javax.annotation`.

`PrePassivate`. is called.

D. 1. The Web container calls the method annotated with `javax.annotation.PostActivate` annotation.

2.

The container creates a new instance of the Service Implementation Bean.

3.

The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.

4.

For the web container with JAX-WS runtime, the method annotated with `javax.annotation`.

`PrePassivate` is called.

Correct Answer: B

---

## QUESTION 5

A developer suspects there is a problem in JAX-B serialization in the client side. Which tool can be used to test the Web Services by bypassing JAXB?

A. WSDL Explorer

B. TCP/IP Monitor

C. Generated Test JSP Client

D. Universal Test Client (UTC)

Correct Answer: C

[Latest C9510-319 Dumps](#)

[C9510-319 Exam Questions](#)

[C9510-319 Braindumps](#)