



# C9510-842<sup>Q&As</sup>

Rational Functional Tester for Java

**Pass IBM C9510-842 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9510-842.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Click the Exhibit Button

A script needs to perform an action on an HTML List object. Figure 6.1 shows the recognition properties of the list object. Figure 6.2 shows the recognition properties of the HTML document.

What will be the score of the found test object at runtime if the .text and .id recognition properties in the list object are different and the .url property of the HTML Document object?

The screenshot shows a tree view of test objects. The selected object is 'Html: List: ibm\_select: Html.SELECT'. The recognition properties table is as follows:

Property	Value	Weight
.class	Html.SELECT	100
.classIndex	0	50
.id	ibm_select	90
.name	url	90
.text	Select one. Anguilla - English Antigua and Barbuda - English Argentina - Spanish Aruba - English Australia - English Austria - German Bahamas - English Bahrain - English Bangladesh - English Barbados - ...	10
.title		50

The screenshot shows a tree view of test objects. The selected object is 'Html: Document: IBMHomePageSelectACountryOrRegion: Html.HtmlDocument'. The recognition properties table is as follows:

Property	Value	Weight
.class	Html.HtmlDocument	100
.title	IBM Home Page: Select a country or region	90
.url	Href( <a href="http://www.ibm.com/planetwide/select/selector.html">http://www.ibm.com/planetwide/select/selector.html</a> )	40

- A. 1000
- B. 1400
- C. 10000
- D. 14000

Correct Answer: D

### QUESTION 2

How do you start the application under test?

- A. use the Windows Start menu



- B. simply begin recording
- C. open a command line and start the application by typing its name
- D. click the Start Application button on the recording toolbar

Correct Answer: D

---

### QUESTION 3

What is one way to insert data-driven commands into the test script?

- A. use the Insert Data Driven Commands button while recording
- B. use the Insert Data Driven Commands button while executing
- C. the commands are generated automatically while importing the datapool
- D. use the super helper class after recording

Correct Answer: A

---

### QUESTION 4

Which three statements are true about HelperSuper classes? (Choose three.)

- A. Scripts can share Helper Superclasses.
- B. Scripts cannot share Helper Superclasses.
- C. Scripts can inherit from multiple Helper Superclasses.
- D. Scripts can inherit from a Helper Superclass that resides in a .jar file.

Correct Answer: ACD

---

### QUESTION 5

If a test fails because the tester has updated the test data, what should the tester do to prevent continued failures?

- A. re-record the test
- B. use the comparator and update the baseline data
- C. nothing, because the test is supposed to fail
- D. change the test data

Correct Answer: B

---



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/c9510-842.html>

2024 Latest pass4itsure C9510-842 PDF and VCE dumps Download

---

[C9510-842 PDF Dumps](#)

[C9510-842 Study Guide](#)

[C9510-842 Exam Questions](#)