



# C9510-842<sup>Q&As</sup>

Rational Functional Tester for Java

**Pass IBM C9510-842 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9510-842.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the following code snippet:

```
OK().waitForExistence();
```

Assuming that no changes have been made to the Functional Tester default playback settings, which two statements will cause Functional Tester to wait for 60 seconds for the OK button to appear? (Choose two.)

- A. `setOption(IOptionName.MAXIMUM_FIND_OBJECT_TIME, 60.0)`
- B. `setOption(IOptionName.MAXIMUM_WAIT_FOR_EXISTENCE, 60.0)`
- C. `setOption(IOptionName.TIME_MULTIPLIER, .5)`
- D. `setOption(IOptionName.TIME_MULTIPLIER, 2.0)`

Correct Answer: BC

---

**QUESTION 2**

Given the following settings:

Maximum acceptable recognition score 10000 Last chance recognition score 20000 Warn if accepted score is greater than 10000

Maximum time to attempt to find Test Object 20

How will RFT behave at runtime if the recognition score of a found object is 10000?

- A. It will accept the found object after waiting for 20 seconds for an object with better recognition and write an Ambiguous Recognition Warning to the log.
- B. It will accept the found object after waiting for 20 seconds for an object with better recognition and write nothing to the log.
- C. It will accept the found object immediately and write an Ambiguous Recognition Warning to the log.
- D. It will accept the found object immediately and write nothing to the log.
- E. It will immediately throw an `ObjectNotFoundException` and write an Ambiguous Recognition Failure to the log.
- F. It will throw an `ObjectNotFoundException` after waiting for 20 seconds for an object with better recognition and write an Ambiguous Recognition Failure to the log.

Correct Answer: D

---

**QUESTION 3**

Which statement is true about Functional Tester scripts and datapools?



- A. All scripts are associated with either a private or shared datapool, and a script cannot exist without a datapool
- B. There are three types of datapools: private, shared and global
- C. The datapool associated with a script cannot be changed once the association has been made
- D. A datapool can be created while in recording mode

Correct Answer: D

---

#### QUESTION 4

What is the minimum weight that can be assigned to a recognition property?

- A. no value (leave blank)
- B. 0
- C. 1
- D. 10
- E. 100

Correct Answer: B

---

#### QUESTION 5

You must \_\_\_\_\_ a script with a datapool before substituting literal values in the script with references to datapool variables.

- A. share
- B. associate
- C. run
- D. disassociate

Correct Answer: B

[Latest C9510-842 Dumps](#)

[C9510-842 Study Guide](#)

[C9510-842 Braindumps](#)