



C9530-404^{Q&As}

IBM Integration Bus V9.0 Solution Development

Pass IBM C9530-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9530-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

A solution developer is using accounting and statistics data to find a performance issue within a message flow.

Which type of statistics should the developer use?

- A. Node statistics
- B. Thread statistics
- C. Terminal statistics
- D. Message flow statistics

Correct Answer: D

QUESTION 2

A solution developer wants to use the global cache functionality to share data between two Integration nodes which are running on separate host machines.

What must the developer configure to accomplish the requirements?

- A. A global cache policy file on both Integration nodes.
- B. A configurable service to connect to an external WebSphere eXtreme Scale grid for example on a DataPower ?XC10 device.
- C. The default global cache topology on both Integration nodes.
- D. The default global cache topology on both Integration nodes and an MQ cluster between the two queue managers.

Correct Answer: A

QUESTION 3

When using the IBM built-in node to output a file using WebSphere MQ Managed File Transfer, which message tree must be used to override the node properties?

- A. Environment.Destination.File
- B. Environment.Destination.FTE
- C. LocalEnvironment.Destination.FTE
- D. LocalEnvironment.WrittenDestination.FTE

Correct Answer: D



QUESTION 4

A solution developer needs to provide identifiers for the components and resources in a broker environment. These identifiers are used in the `mqsideploy` command.

Which special character can the developer use in Windows and Linux for identifiers?

- A. \$
- B. .(dot)
- C. ~ (tilde)
- D. \'(apostrophe)

Correct Answer: A

QUESTION 5

A solution developer needs to connect to an IBM iSeries based warehouse system via Extensible Program Call Markup Language (xPCML). The solution developer chooses a configurable service to store the connection information of the system.

Which configurable service should the developer use?

- A. IMSConnect
- B. UserDefined
- C. EISProviders
- D. CICSCONNECTION

Correct Answer: B

[Latest C9530-404 Dumps](#)

[C9530-404 Practice Test](#)

[C9530-404 Braindumps](#)