



C9550-412^{Q&As}

IBM Business Process Management Express or Standard Edition
V8.5.5, BPM Application Development

Pass IBM C9550-412 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9550-412.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

During the current playback phase, the BPM application developer is creating the to-be business process definition for a process application. Which playback phase is the BPM application developer currently in?

- A. Playback 0.
- B. Playback 1.
- C. Playback 2.
- D. Playback 3.


Correct Answer: A

QUESTION 2

A BPM Application developer is creating a client-side human service. The developer must create a save button that saves the coach fields so the user can return

to their task at a later date.

Which service meets the requirements?



A. B. C. D.

A. Exhibit A

B. Exhibit B

C. Exhibit C

D. Exhibit D


Correct Answer: A

QUESTION 3

An insurance company has a claims process that is performed by a claims analyst and is due in 3 days. If the claims analyst has not completed the task in 4 days an escalator should be sent to a manager. The claims analyst can still complete the task, even if the escalator has been triggered, and the manager should only be notified once. Which configuration should the BPM application developer implement for the escalator timer?



A. **Boundary Event Details**

Timer 

Interrupt activity: ☒

Repeatable: ☐

Timer Properties


Trigger On: After Start of Step

Custom Date:

Before or After Difference: 4 Days

Tolerance Interval: 0 Hours

B. **Boundary Event Details**

Timer 

Interrupt activity: ☐

Repeatable: ☐

Timer Properties


Trigger On: After Due Date

Custom Date:

Before or After Difference: 3 Days

Tolerance Interval: 1 Days

C. **Boundary Event Details**

Timer 

Interrupt activity: ☒

Repeatable: ☐

Timer Properties


Trigger On: After Due Date

Custom Date:

Before or After Difference: 1 Days

Tolerance Interval: 0 Hours

D. **Boundary Event Details**

Timer 

Interrupt activity: ☐

Repeatable: ☐

Timer Properties

Trigger On: After Start of Step

Custom Date:

Before or After Difference: 4 Days

Tolerance Interval: 0 Hours

A. Exhibit A



B. Exhibit B


C. Exhibit C

D. Exhibit D

Correct Answer: A

QUESTION 4

ABPM application developer needs to collect some business information and create a tracking group for the following business process definition (BPD).



The BPM application developer adds a tracking point to the BPD and associates some process variables to this group:



After running some tests, the BPM application developer notices that information defined in the tracking properties is not collected in the performance data warehouse after the instance is completed. What should the BPM application developer do to fix the problem?

A. Set "Enable Tracking" and "Enable Auto-tracking" in the BPD.

B. Set "Enable Tracking" in the BPD and then update tracking definitions.



- C. Set "Enable Trackini" and "Enable Auto-trackini" in the BPD and then update trackini definitions.
- D. Associate a process variable to the amount field in "Trackini Properties" and update trackini definitions.

Correct Answer: A

QUESTION 5

A BPM Application developer needs to construct an integration service that will access an external web service. The web service has been predefined in the process application settings. The BPM application developer creates a new integration

service and adds a web service integration to the canvas. Since this is a predefined web service, on the implementation tab, the BPM application developer selects "From process application settings" for the discovery scheme.

What should be the next step in configuring the web service connector using the predefined server for the BPM application developer?

- A. Insert the URL and use the "Discover" button.
- B. Fill in the data mapping tab in the web service properties.
- C. Select the defined web service and select which operation to use.
- D. Generate the data types that will be inputs and outputs for the web service.

Correct Answer: C

[Latest C9550-412 Dumps](#)

[C9550-412 VCE Dumps](#)

[C9550-412 Exam Questions](#)