



# C\_BW4HANA\_20<sup>Q&As</sup>

SAP Certified Application Associate - Reporting Modeling and Data Acquisition with SAP BW/4HANA 2.x

**Pass SAP C\_BW4HANA\_20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass4itsure.com/c\\_bw4hana\\_20.html](https://www.pass4itsure.com/c_bw4hana_20.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You set up the 2LIS\_02\_ITM (Purchasing Line Item) data source in SAP ERP using the logistics cockpit. Afterward, you successfully run the initialization into SAP BW/4HAN

- A. Your delta load into SAP BW/4HANA shows zero records even though new purchase orders were created. How do you explain that the delta records do NOT appear in SAP BW/4HANA?
- B. A reinitialization for sales orders in SAP ERP was triggered using the logistics cockpit, which deleted the purchase order item initialization.
- C. All old purchase orders in SAP ERP were archived overnight before the delta loads.
- D. Purchasing extractors in SAP ERP were set up with Queued Delta update mode and the collective run job was NOT scheduled.
- E. Another SAP BW/4HANA system already picked up the new purchase orders using a delta load

Correct Answer: C

---

**QUESTION 2**

You want to model an SAP HANA calculation view by combining the sales orders with the corresponding customer status, which was assigned to the customer when the order was issued. Which join properties do you assign to the required join type?

- A. Inner join with Dynamic Join properties
- B. Referential join with Temporal Join properties
- C. Inner join with Temporal Join properties
- D. Referential join with Dynamic Join properties

Correct Answer: B

---

**QUESTION 3**

You need to enable real-time streaming using SAP HANA smart data integration (SDI) to load data into a DataStore object (advanced). What are prerequisites for this requirement? Note: There are 2 correct answers to this question.

- A. The source system is pulling data into SAP BW/4HANA.
- B. The process chain is running in streaming mode.
- C. The data target is a DataStore object (advanced) of the InfoCube model template.
- D. The adapter is real-time enabled.

Correct Answer: BC

---



#### QUESTION 4

You need to combine master data (right table) and transactional data (left table) using a referential join. How will this referential join behave?

- A. It is executed as an inner join when NO fields from the right table are requested.
- B. It always returns all fields from the right table as a result data set.
- C. It is executed as an inner join when a description mapping is defined between the left table and the u right table.
- D. It returns a result data set if the left table has a corresponding entry on the right table.

Correct Answer: D

---

#### QUESTION 5

Which sources types can you select when you create an Open ODS view? Note: There are 3 correct answers to this question.

- A. SAP BW DataSource
- B. Characteristic \
- C. Virtual table using SAP HANA smart data access
- D. Transformation
- E. InfoSource

Correct Answer: ACD

[Latest C\\_BW4HANA\\_20 Dumps](#)

[C\\_BW4HANA\\_20 VCE Dumps](#)

[C\\_BW4HANA\\_20 Braindumps](#)