



# C\_CPI\_14<sup>Q&As</sup>

SAP Certified Application Associate - SAP Cloud Platform Integration

## Pass SAP C\_CPI\_14 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass4itsure.com/c\\_cpi\\_14.html](https://www.pass4itsure.com/c_cpi_14.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You design a process to throw an exception while messages are being processed by the SAP Cloud Platform Integration service. What iFlow step type does this?

- A. Terminal Message
- B. Error Start
- C. Error End
- D. Escalation End

Correct Answer: D

---

### QUESTION 2

You assign a user to the AuthGroup BusinessExpert group. What specific task can this user perform? Note : There are 3 correct answers to this question.

- A. Deploy integration content
- B. Read the message payload and attachments
- C. Delete messages from the transient data store
- D. Manage security artifacts
- E. Access ( read only ) the data store viewer

Correct Answer: BDE

---

### QUESTION 3

You want to detect errors while message processing but without a Message Failed status. Which events can you use? Note: There are 2 correct answers to this question.

- A. Terminate Message in an Exception Subprocess
- B. Exception Message in an Exception Subprocess
- C. Message End Event in an Exception Subprocess
- D. Escalation Event in an Exception Subprocess

Correct Answer: AC

---

### QUESTION 4



You are using the HTTP adapter to connect to a third-party cloud software. Which operations are supported? Note: There are 2 correct answers to this question.

- A. HEAD
- B. PURGE
- C. OPTIONS
- D. TRACE

Correct Answer: AD

---

#### QUESTION 5

While testing your IFlow, you notice that messages are being received but not processed, due to a problem with the user. The error message in the log reads as follows :  
"com.sap.esb.application.services.cxf.interceptor.SimpleAuthorizingInterceptor user is not authorized". What should you do to fix this error?

- A. Change the method of authentication from Basic to Certificate for the user
- B. Assign the ESBMessaging.send role to the user
- C. Redeploy the X.509 certificate in the tenant keystore for the user
- D. Redeploy the known hosts in the tenant keystore

Correct Answer: B

[C\\_CPI\\_14 VCE Dumps](#)

[C\\_CPI\\_14 Practice Test](#)

[C\\_CPI\\_14 Exam Questions](#)