



C_PAII10_35^{Q&As}

C_PAII10_35 : SAP Certified Application Associate - SAP Predictive Analytics

Pass SAP C_PAII10_35 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c_paii10_35.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

To Start SAP Predictive Analytics:

Note: There are 2 correct answers to this question.

- A. Select Start Programs SAP Business Intelligence SAP
- B. Predictive Analytics Desktop SAP Predictive Analytics . The SAP Predictive Analytics start panel appears.
- C. Click the feature you want to use.
- D. Allow the group to write there. This is automatically done when using the post installation configuration script.

Correct Answer: AB

QUESTION 2

On the model curve plot, different options allow you to visualize: Note: There are 2 correct answers to this question.

- A. Exact profit values for a point for all the displayed curves.
- B. The curves for the different profit types: Detected, Lift, Normalized, and Customized. For more information on profit types, see the related topic.
- C. A web server (Apache Web Server for example). See the sections below to install Apache Web Server

Correct Answer: AB

QUESTION 3

Automated Analytics supports the following data sources:

Note: There are 2 correct answers to this question.

- A. Text files supports CR + LF
- B. The server software requires about 700 MB for the server and about 200 MB for each client installed on separate machines. No additional storage is required for data because the application does not create a separate data store.
- C. Database management systems that can be accessed using ODBC. Note For the list of supported ODBC-compatible sources, see the SAP Product Availability Matrix <http://service.sap.com/sap/support/pam>. For more information about using SAP HANA, see the related information below. To configure Automated Analytics modeling tools to access data in your database management system, refer to the guide Connecting your Database Management System on Windows or Connecting your Database Management System on Linux.

Correct Answer: AC

QUESTION 4



Once your business issue has been identified and formulated, you need to have data on hand that will permit an answer to be found. In order for your data to be usable by the application, the following five conditions must be met:

Note: There are 5 correct answers to this question.

- A. You must have a sufficiently large volume of data to be able to build a valid model, that is, in order for the model to be both relevant and robust. An analytical model that is generated from a dataset of 50 lines may have low generalization capacity, and contain low informative value. We can advise you on the issues of data volume.
- B. Your dataset must contain a target variable, that will allow you to express your business issue within the application.
- C. The target variable must be known for each observation of the training dataset. To express this another way, no target variable values may be missing over the range of the entire training dataset.
- D. The data source format must be supported by the application.
- E. Your data must be presented in the form of a single table of data , except in instances where you are using Event Logging or Sequence Coding features of Data Manager.
- F. Server instances are going to be started with a different system account than the authenticated server.

Correct Answer: ABCDE

QUESTION 5

The application allows you to refine a currently open model. For instance, you can: Note: There are 2 correct answers to this question.

- A. Reduce the number of explanatory variables used by the model while maintaining the initial quality
- B. Generate a model of degree 2 using the most significant variables of the degree 1 model.
- C. The server port (by default: 12347 for the authenticated server)

Correct Answer: AB

[Latest C_PAII10_35 Dumps](#)

[C_PAII10_35 VCE Dumps](#)

[C_PAII10_35 Braindumps](#)