



C_PAII10_35^{Q&As}

C_PAII10_35 : SAP Certified Application Associate - SAP Predictive Analytics

Pass SAP C_PAII10_35 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c_paii10_35.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A training data file for time series must contain at least two columns: Note: There are 2 correct answers to this question.

- A. The date column,
- B. The signal column
- C. The server port

Correct Answer: AB

QUESTION 2

Note: There are 4 correct answers to this question.

- A. the apply-in dataset (able, view, select statement, data manipulation) and the results dataset are tables coming from the same database
- B. the model has been computed while at least one physical key variable was defined in the application
- C. no error has occurred
- D. A web server such as Apache Web Server or Windows Internet Information Services (IIS)
- E. the in-database apply mode is not deactivated
- F. granted access to read and write (create table)

Correct Answer: ABDE

QUESTION 3

A table of data is a dataset presented in the form of a two-dimensional table. In this table: Note: There are 3 correct answers to this question.

- A. Each row represents an observation to be processed, such as "American individual" in the sample file Census01.csv .
- B. Each column represents a variable that describes observations, such as the "age" or the "gender" of individual Americans.
- C. Each cell, the intersection of a column and a row, represents the value of the variable in the column, for the observation in that row
- D. Both of these ports must be accessible from the client machine. For example, network firewalls should allow communication on these ports between client machine and the servers.

Correct Answer: ABC



QUESTION 4

The Periodic with testing at the end strategy distributes:

Note: There are 4 correct answers to this question.

- A. Three lines of the first 4/5 of the initial dataset are distributed to the training subset.
- B. One line of the first 4/5 of the initial dataset is distributed to the validation sub-set.
- C. If the entire 4/5 of the initial dataset is not yet distributed, distribution operations begin again at step 1. Otherwise, if the entire 4/5 of the initial dataset has been
- D. distributed, distribution operations go to step
- E. The final 1/5 of the initial dataset is sent as a block of data to the testing sub-set.
- F. The name server and the server will be assigned a specific TCP port. By default, the startup scripts we use fix them, and they should probably set properly depending on the network strategy

Correct Answer: ABCD

QUESTION 5

What type of join is generated when creating Analytical Data Set and Data Manipulation from the Data Manager?

Note: There are 1 correct answers to this question.

- A. Inner join
- B. Right outer join
- C. Cross join (Cartesian product)
- D. Left outer join

Correct Answer: B

[Latest C_PAII10_35 Dumps](#) | [C_PAII10_35 Study Guide](#)

[C_PAII10_35 Exam Questions](#)