



C_PAII10_35^{Q&As}

C_PAII10_35 : SAP Certified Application Associate - SAP Predictive Analytics

Pass SAP C_PAII10_35 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c_paii10_35.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

The structure for a continuous variable is defined by several intervals each made of : Note: There are 4 correct answers to this question.

- A. a lower bound ([]) that can be either open or closed,
- B. a minimum value (Minimum)
- C. a maximum value (Minimum)
- D. With standalone installers on each targeted client system
- E. a higher bound ([]) that can be either open or closed.

Correct Answer: ABCE

QUESTION 2

A table of data is a dataset presented in the form of a two-dimensional table. In this table: Note: There are 3 correct answers to this question.

- A. Each row represents an observation to be processed, such as "American individual" in the sample file Census01.csv .
- B. Each column represents a variable that describes observations, such as the "age" or the "gender" of individual Americans.
- C. Each cell, the intersection of a column and a row, represents the value of the variable in the column, for the observation in that row
- D. Both of these ports must be accessible from the client machine. For example, network firewalls should allow communication on these ports between client machine and the servers.

Correct Answer: ABC

QUESTION 3

Note: There are 4 correct answers to this question.

- A. the apply-in dataset (able, view, select statement, data manipulation) and the results dataset are tables coming from the same database
- B. the model has been computed while at least one physical key variable was defined in the application
- C. no error has occurred
- D. A web server such as Apache Web Server or Windows Internet Information Services (IIS)
- E. the in-database apply mode is not deactivated



F. granted access to read and write (create table)

Correct Answer: ABDE

QUESTION 4

A model with a predictive power of:

Note: There are 3 correct answers to this question.

A. "0.79" is capable of explaining 79% of the information contained in the target variable using the explanatory variables contained in the dataset analyzed.

B. "1" is a hypothetical perfect model, capable of explaining 100% of the target variable using the explanatory variables contained in the dataset analyzed. In practice, such a predictive power would generally indicate that an explanatory variable 100% correlated with the target variable was not excluded from the dataset analyzed.

C. "0" is a purely random model

D. The system account of the authenticated user, this is the default with the system authentication

Correct Answer: ABC

QUESTION 5

What type of join is generated when creating Analytical Data Set and Data Manipulation from the Data Manager?

Note: There are 1 correct answers to this question.

A. Inner join

B. Right outer join

C. Cross join (Cartesian product)

D. Left outer join

Correct Answer: B

[C_PAII10_35 PDF Dumps](#)

[C_PAII10_35 Practice Test](#)

[C_PAII10_35 Exam
Questions](#)