



C_SECAUTH_20^{Q&As}

SAP Certified Technology Associate - SAP System Security and Authorizations

Pass SAP C_SECAUTH_20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c_secauth_20.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

In SAP S/4HANA Cloud authorization objects are grouped into which item?

- A. Single technical roles
- B. Groups
- C. Business roles
- D. Privileges

Correct Answer: C

QUESTION 2

Which of the following actions are required to ensure complete logging of table data changes? (Choose three.)

- A. Log data changes must be enabled at the table level in transaction SE13.
- B. Parameter RECCLIENT must be maintained in transaction STMS.
- C. Client change options must be set to Automatic Recording of Changes.
- D. The security audit log must be activated using transaction SM19.
- E. Instance profile parameter rec/client must be maintained for client.

Correct Answer: ABE

QUESTION 3

What are the main features of SAP Enterprise Threat Detection (ETD)? (Choose three.)

- A. Monitoring of GDPR compliance
- B. Segregation of Duty analysis
- C. Forensic investigations
- D. Realtime alerts
- E. Monitoring of security events

Correct Answer: CDE

QUESTION 4

Which of the following are SAPUI5 Fiori application types? (Choose two.)



- A. Analytical
- B. Web Dynpro
- C. Transactional
- D. Legacy

Correct Answer: AC

QUESTION 5

When you are troubleshooting an application start issue, what does the Search for Startable Applications in Roles report help you determine? (Choose two.)

- A. If the PFCG role menu contains SAP Fiori Tile Groups
- B. If the PFCG roles contain all of the start authorizations required for the application
- C. If there is an application start lock
- D. If the PFCG roles are assigned to end users

Correct Answer: BC

[Latest C_SECAUTH_20 Dumps](#)

[C_SECAUTH_20 VCE Dumps](#)

[C_SECAUTH_20 Braindumps](#)