



C_TADM51_75^{Q&As}

SAP Certified Technology Associate – System Administration (Oracle DB) with SAP NetWeaver 7.5

Pass SAP C_TADM51_75 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c_tadm51_75.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The screenshot displays two SAP system logs. The top log, titled "Runtime Error - Description of Exception", shows a "TIME_OUT" error for program "IREPORT12". The bottom log, titled "System Log: Local Analysis of twdf1903", shows a "Run-time error 'TIME_OUT' occurred" at 09:55:38.

Runtime Error - Description of Exception

Long Text Debugger

Category: ABAP Programming Error
Runtime Errors: TIME_OUT
ABAP Program: IREPORT12
Application Component: Not Assigned
Date and Time: 01.12.2011 09:55:38

Short text
Time limit exceeded.

What happened?
The program "IREPORT12" has exceeded the maximum permitted runtime without interruption and has therefore been terminated.

Error analysis
After a specific time, the program is terminated to make the work area available to other users who may be waiting. This is to prevent a work area being blocked unnecessarily long by, for example:
- Endless loops (DO, WHILE, ...).
- Database accesses with a large result set
- Database accesses without a suitable index (full table scan)

The maximum runtime of a program is limited by the system profile parameter "rdisp/max_wprun_time". The current setting is 300 seconds. If this time limit is exceeded, the system attempts to cancel any running SQL statement or signals the ABAP processor to stop the running program. Then the system waits another 60 seconds maximum. If the program is then still active, the work process is restarted.

System Log: Local Analysis of twdf1903

Sys log doc. Section Section Contents

System Log: Local Analysis of twdf1903 2

Date: 01.12.2011

Time	Type	Wr	Cls	User	TCode	Priority	Grp	N	Text
09:55:38	DIA	000	100	CATCH	SE38	High	AB	0	Run-time error "TIME_OUT" occurred
09:55:38	DIA	000	100	CATCH	SE38	Low	AB	1	> Short dump "111201 095538 twdf1903_DEV_00 " generated

There are 2 correct answers to this question.

- A. The error can be avoided by running the respective program in a batch job in the SAP system, if background processing is possible for this program.
- B. The error was caused by a transaction in the SAP system that exceeded the extended memory
- C. The error can be avoided by reducing the memory usage of the respective transaction in the SAP system.
- D. The error was caused by a transaction that exceeded the maximum runtime in a dialog work process of the SAP system.



E. The error was caused by a transaction that exceeded the maximum runtime in a background work process of the SAP system.

Correct Answer: AD

QUESTION 2

While setting up the RFC connections for a Central User Administration (CUA) in an AS ABAP-based SAP system, you are required to observe which of the following naming conventions? (There are 2 correct answers to this question)

Response:

- A. The required RFC connections have to be named identically to the logical system they are connecting to.
- B. The required RFC connections have to be named in capital letters.
- C. The users that are used for the RFC connections for the CUA need to be of type "SYSTEM" with authorization SAP_ALL.
- D. The naming convention recommended by SAP for both RFC connections and logical system names, is the following: "CUA_", for example, CUA_DEV.
- E. You need to use trusted RFC connections for setting up a CUA environment.

Correct Answer: AB

QUESTION 3

Which of the following statements about the required RFC connections in CUA are correct? Choose the correct answer(s).

- A. The RFC connections must be specified entirely in uppercase letters and must be identical to the name of the addressed logical system.
- B. The user in the RFC connection must be a dialog user.
- C. An RFC connection from the child system to itself is required.
- D. An RFC connection from the central system "to itself" is required.
- E. Certain roles for the communication users are required only during CUA setup, and can then be removed from the relevant user master records.

Correct Answer: ADE

QUESTION 4

Oracle database release 10g is able to use new database statistic features for tables and index. Which statement regarding CBO (Cost-based optimizer) and RBO (Rule-based optimizer) is true? There are 3 correct answers to this question.



- A. In Oracle 10g, both CBO- and RBO-based index statistics can be used simultaneously.
- B. Database statistics can be managed automatically in Oracle 10g. This is implemented in the database as the dbms_scheduler job GATHER_STATS_JOB. However, this method is not yet supported and is deactivated to avoid conflicts with the brconnect methods.
- C. Oracle 10g only supports CBO, while the RBO is not supported anymore.
- D. As of Oracle 10g, you are required to create statistics for the Oracle dictionary as well.

Correct Answer: BCD

QUESTION 5

Which types of dialog instances can be installed to an SAP system, depending on the SAP system type? Choose the correct answer(s).

- A. AS ABAP dialog instance
- B. Central services dialog instance
- C. AS Java dialog instance

Correct Answer: AC

[Latest C_TADM51_75 Dumps](#)

[C_TADM51_75 Practice Test](#)

[C_TADM51_75 Braindumps](#)