



C_TBW60_74^{Q&As}

SAP Certified Application Associate - Modeling and Data Management
with SAP BW 7.4

Pass SAP C_TBW60_74 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c_tbw60_74.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The UD Connect extraction of document level data from a SQL Server database results in a loss of document detail in BW. What possible action could you take to resolve this? Select the correct answer.

- A. Use a generic DataSource with a numeric pointer for the delta service.
- B. Use a DataSource based on SAP Data Services to restore the detail.
- C. Use a DSO for Real Time Data Acquisition.
- D. Use a DB Connect based DataSource.

Correct Answer: D

QUESTION 2

Which of the following are true regarding an aggregate roll-up? (1)

- A. It is needed every time new data is loaded into the InfoCube
- B. It does not have any relationship to the availability of data for reporting in an aggregate
- C. It compresses data into the E Table of the aggregate
- D. It is the same thing as an attribute change run

Correct Answer: A

QUESTION 3

A BW 7.4 data flow has been working successfully for a while. Today the data flow resulted in an error after the DataSource has been changed and reactivated. What could be the possible problem? Select the correct answer.

- A. The Transformation connecting the DataSource needs reactivation.
- B. The PSA entries need to be reactivated.
- C. The PSA entries should have been deleted prior to the DataSource reactivation.
- D. The InfoProvider data should have been first deleted.

Correct Answer: A

QUESTION 4

You want postable nodes in a hierarchy to appear in multiple hierarchy branches. What action could you take to accomplish this? (2)



- A. Enter the postable nodes as Link Nodes
- B. Configure the hierarchy as time-dependent
- C. Create multiple similar hierarchies
- D. Configure the hierarchy with a time-dependent structure

Correct Answer: D

QUESTION 5

What is necessary for a VirtualProvider to display data? There are 3 correct answers.

- A. A DTP for Direct Access
- B. A DataSource for Direct Access
- C. HybridProvider
- D. MultiProvider
- E. DTP that loads data
- F. Transformation

Correct Answer: ABF

[C_TBW60_74 PDF Dumps](#)

[C_TBW60_74 Study Guide](#)

[C_TBW60_74 Braindumps](#)