

# C\_TS413\_2021<sup>Q&As</sup>

SAP Certified Application Associate - SAP S/4HANA Asset Management

### Pass SAP C\_TS413\_2021 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c\_ts413\_2021.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



#### https://www.pass4itsure.com/c\_ts413\_2021.html 2024 Latest pass4itsure C\_TS413\_2021 PDF and VCE dumps Download

#### **QUESTION 1**

You want to see historical information relating to t	he phases when	n equipment was in	nstalled at a fund	tional location
Where can you find this information?				

- A. Historical Orders list
- B. Structure Display
- C. Location Analysis list
- D. Usage list

Correct Answer: D

#### **QUESTION 2**

The first release of SAP asset manager mobile application is based on:

- A. ios and android
- B. Android only
- C. Windows only
- D. ios only
- E. IOS, Android, Windows

Correct Answer: D

#### **QUESTION 3**

You cancel the technical completion of a work order. What are theeffects? Note: There are 2 correct answers to this question.

- A. Open purchase orders are recompiled.
- B. Openreservations are recompiled.
- C. Referenced notifications are put In Process again.
- D. Open purchase requisitions are recompiled

Correct Answer: BD

#### **QUESTION 4**



## https://www.pass4itsure.com/c\_ts413\_2021.html 2024 Latest pass4itsure C\_TS413\_2021 PDF and VCE dumps Download

Which of the following is a prerequisite for external refurbishment?

- A. Select the material group for externally refurbished materials.
- B. Activate the subcontracting indicator in an external activity.
- C. Define the order type for external refurbishment.
- D. Create the purchasing info record for the external provider.

Correct Answer: B

#### **QUESTION 5**

How do you map a counter replacement in SAP S/4HANA Asset Management?

- A. Replace the defective piece of equipment to which a counter is assigned.
- B. Create a new measurement document marked as a counter replacement.
- C. Create a new measurement document and assign a valuationcode for counter replacement.
- D. Deactivate the current counter and create a new counter.

Correct Answer: B

Latest C TS413 2021 Dumps C TS413 2021 Study Guide

C TS413 2021 Braindumps