



C_TSCM42_65^{Q&As}

SAP Certified Application Associate - Production - Planning & Manufacturing with SAP ERP 6.0 EHP5

Pass SAP C_TSCM42_65 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c_tscm42_65.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

In the Customizing for requirements planning, a project team notices that the alternatives P1, P2, P3 and P4 are also delivered as standard in addition to MRP type PD. The number in each of these alternatives represents a firming type.

What does a firming type define? (Choose two)

- A. Handling new requirements within the planning time fence.
- B. Handling new procurement proposals that need to be created due to new requirements within the planning time fence.
- C. Handling existing procurement proposals outside the planning time fence.
- D. Handling existing procurement proposals within a planning time fence.

Correct Answer: BD

QUESTION 2

Which of the following master data can be used with process orders? (Choose three)

- A. Serial numbers
- B. Production versions
- C. Resources
- D. Master recipes
- E. Production/resource tools

Correct Answer: BCD

QUESTION 3

What option for selecting a routing exists when creating a production order?

- A. Automatic selection based on settings in the production scheduling profile
- B. Manual selection based on the list of routings maintained in the material master
- C. Automatic selection of a reference operation set
- D. Manual selection based on settings in the order type-dependent parameters

Correct Answer: D

QUESTION 4



You want to reduce the uncertainty caused by fluctuating requirements for a finished product by using a dynamic safety stock in SAP ECC.

On which specifications is the dynamic safety stock calculation based?

- A. The average daily demand and the desired days supply
- B. The static safety stock and the material forecast
- C. The static safety stock per day and the safety time
- D. The average daily demand and the safety time

Correct Answer: A

QUESTION 5

A material was planned in the context of SAP ECC material requirements planning. The MRP controller subsequently processed the material by manually converting a specific planned order into a production order. The MRP controller now accesses the current stock/requirements list and the MRP list for this material and compares these two lists.

Which of the following statements are true for the two lists at this stage? (Choose two)

- A. The MRP list displays the production order.
- B. The stock/requirements list displays the production order.
- C. The stock/requirements list was updated at the precise time it was accessed.
- D. The MRP list has the status "processed".

Correct Answer: BC

[C_TSCM42_65 PDF Dumps](#)

[C_TSCM42_65 Practice](#)

[C_TSCM42_65 Study Guide](#)

[Test](#)