



CAU305^{Q&As}

CyberArk CDE Recertification

Pass CyberArk CAU305 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/cau305.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CyberArk
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

When a DR Vault Server becomes an active vault, it will automatically revert back to DR mode once the Primary Vault comes back online.

- A. True, this is the default behavior.
- B. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the padr.ini file.
- C. True, if the AllowFailback setting is set to "yes" in the padr.ini file.
- D. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the dbparm.ini file.

Correct Answer: A

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/11.3/en/Content/PASIMP/Initiating-DR-Failback-to-Production-Vault.htm>

QUESTION 2

Which of the following is NOT a use case for installing multiple Central Policy Managers (CPM)?

- A. A single CPM cannot accommodate the total number of accounts managed.
- B. Accounts are managed in multiple sites or VLANs protected by firewall.
- C. Reduce network traffic across WAN links.
- D. Provide load-balancing capabilities when managing passwords on target devices.

Correct Answer: A

QUESTION 3

Which utilities could a Vault administrator use to change debugging levels on the Vault without having to restart the Vault? (Choose two.)

- A. PAR Agent
- B. PrivateArk Server Central Administration
- C. Edit DBParm.ini in a text editor
- D. Setup.exe

Correct Answer: AB

Reference: <https://cyberark-customers.force.com/s/question/0D52J00007PA3aO/changing-debugging-levels-on-the-vault-without-restarting-the-vault>



QUESTION 4

During the process of installing the Central Policy Manager (CPM), the Vault administrator will be asked to provide the credentials for an administrative user in the Vault. For which purpose are these credentials used?

- A. The credentials will be used later by the CPM to retrieve passwords from the Vault.
- B. The credentials are used by the installer to register the CPM in the CyberArk database.
- C. The credentials are used by the installer to authenticate to the Vault and create the Central Policy Manager (CPM) environment (Safes, users. etc.).
- D. The credentials will be used later by the CPM to update passwords in the Vault.

Correct Answer: C

QUESTION 5

dbparm.ini is the main configuration file for the Vault.

- A. True
- B. False

Correct Answer: A

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASREF/DBParm.ini.htm>

[CAU305 VCE Dumps](#)

[CAU305 Exam Questions](#)

[CAU305 Brindumps](#)