



# CCB-400<sup>Q&As</sup>

Cloudera Certified Specialist in Apache HBase

## Pass Cloudera CCB-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ccb-400.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cloudera  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You have a key-value pair size of 100 bytes. You increase your HFile block size from its default 64k. What results from this change?

- A. scan throughput increases and random-access latency decreases
- B. scan throughput decreases and random-access latency increases
- C. scan throughput decreases and random-access latency decreases
- D. scan throughput increases and random-access latency increases

Correct Answer: A

---

**QUESTION 2**

Your client application connects to HBase for the first time to perform a write. Which of the following sequences will it traverse to find the region serving the row range of interest?

- A. ZooKeeper -> RegionServer -> Region
- B. ZooKeeper -> .META. -> RegionServer -> Region
- C. ZooKeeper-> ROOT->.META. -> RegionServer -> Region
- D. ZooKeeper -> HMaster->-ROOT-->.META. -> RegionServer -> Region

Correct Answer: C

---

**QUESTION 3**

You have a "Users" table in HBase and you would like to insert a row that consists of a UserID, "jsmith70" and an email address, "jane@example.com". The table has a single Column Family named "Meta" and the row key will be the user's ID. The shell command you should use to complete this is:

- A. put `Users\\`, `jsmith70\\`, `jane@example.com\\`
- B. put `Users\\`, `UserID:jsmith70\\`, `Email:jane@example.com\\`
- C. put `Users\\`, `jsmith70\\`, `Meta:Email\\`, `jane@example.com\\`
- D. put `Users\\`, `Meta:UserID\\`, `jsmith70\\`, `Meta:Email,`jane@example.com\\`

Correct Answer: B

---

**QUESTION 4**

You have one primary HMaster and one standby. Your primary HMaster Falls fails and your client application needs to



make a metadata change. Which of the following is the effect on your client application?

- A. The client will query ZooKeeper to find the location of the new HMaster and complete the metadata change.
- B. The client will make the metadata change regardless of the state of the HMaster.
- C. The new HMaster will notify the client and complete the metadata change.
- D. The client application will fail with a runtime error.

Correct Answer: A

---

#### QUESTION 5

You need to free up disk space on your HBase cluster. You delete all versions of your data that is older than one week. You notice your delete has had minimal impact on your storage availability. This is because:

- A. You have large store file indexes
- B. HBase has not flushed the MemStore
- C. HBase has not run a minor compaction
- D. HBase has not run a major compaction

Correct Answer: A

[CCB-400 VCE Dumps](#)

[CCB-400 Study Guide](#)

[CCB-400 Braindumps](#)