



CCB-400^{Q&As}

Cloudera Certified Specialist in Apache HBase

Pass Cloudera CCB-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ccb-400.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cloudera
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

You have data already stored in HDFS and are considering using HBase. Which additional feature does HBase provide to HDFS?

- A. Random writes
- B. Batchprocessing
- C. Fault tolerance
- D. Scalability

Correct Answer: A

Reference:<http://borthakur.com/ftp/SIGMODRealtimeHadoopPresentation.pdf>(11th slide)

QUESTION 2

Given that following is your entire dataset:

100 column=Managers:Name, timestamp=13313141762084, value=Steve 100 column=Manage:Salary, timestamp=13313141762086, value=80000 100 column=Skills:Skill_1, timestamp=13313141762089, value=Hadoop 100 column=Skills:Skill_2, timestamp=13313141762092, value=HBase How many sets of physical files will be read during a scan of the entire dataset immediately following a major compaction?

- A. Two
- B. One
- C. Three
- D. Four

Correct Answer: B

QUESTION 3

Given that the following is your entire dataset:

100 column=Managers:Name, timestamp=13313141762084, value=Steve 100 column=Manage:Salary, timestamp=13313141762086, value=80000 100 column=Skills:Skill_1, timestamp=13313141762089, value=Hadoop 100 column=Skills:Skill_2, timestamp=13313141762092, value=HBase

How many regions will be read during a scan of the entire dataset?

- A. Four
- B. Two
- C. One



D. Three

Correct Answer: A

QUESTION 4

You have an "Employees" table in HBase. The Row Keys are the employees' IDs. You would like to retrieve all employees who have an employee ID between 'user_100' and 'user_110'. The shell command you would use to complete this is:

- A. `scan\ 'Employees', {STARTROW => 'user_100', STOPROW => 'user_111'}`
- B. `get\ 'Employees', {STARTROW => 'user_100', STOPROW => 'user_110'}`
- C. `scan\ 'Employees', {STARTROW => 'user_100', SLIMIT => 10}`
- D. `scan\ 'Employees', {STARTROW => 'user_100', STOPROW => 'user_110'}`

Correct Answer: D

QUESTION 5

You have a table live in production. The table uses as the rowkey. You want to change the existing rowkeys to . Which of the following should you do?

- A. Modify the client application to write to both the old table and a new table while migrating the old data separately
- B. Use the `ALTER` command to modify the rowkeys
- C. Use the `ASSIGN` command to modify the rowkeys
- D. Add a new column to store the user ID

Correct Answer: B

[Latest CCB-400 Dumps](#)

[CCB-400 VCE Dumps](#)

[CCB-400 Study Guide](#)