



CCB-400^{Q&As}

Cloudera Certified Specialist in Apache HBase

Pass Cloudera CCB-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ccb-400.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cloudera
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You have an average key-value pair size of 100 bytes. Your primary access is random needs on the table. Which of the following actions will speed up random reading performance on your cluster?

- A. Turn off WAL on puts
- B. Increase the number of versions kept
- C. Decrease the block size
- D. Increase the block size

Correct Answer: D

QUESTION 2

You have a total of three tables stored in HBase. Exchanging catalog regions, how many regions will your RegionServers have?

- A. Exactly three
- B. Exactly one
- C. At least one
- D. Atleastthree

Correct Answer: B

QUESTION 3

The cells in a given row have versions that range from 1000 to 2000. You execute a delete specifying the value 3000 for the version. What is the outcome?

- A. The delete fails with an error.
- B. Only cells equal to the Specified version are deleted.
- C. The entire row is deleted.
- D. Nothing in the row is deleted.

Correct Answer: C

Reference:<http://archive.cloudera.com/cdh4/cdh/4/hbase/book.html#delete>(scroll below and see 5.8.1.5. Delete topic, read the last paragraph)

QUESTION 4



You have two standbys and one primary HMaster. Your primary HMaster fails. Which of the remaining HMaster becomes the new primary?

- A. Whichever HMaster first responds to ZooKeeper
- B. Whichever HMaster ZooKeeper randomly selects
- C. Whichever HMaster creates the znode first
- D. Whichever HMaster has the lower IP address

Correct Answer: A

QUESTION 5

You have an "Employees" table in HBase. The Row Keys are the employees' IDs. You would like to retrieve all employees who have an employee ID between 'user_100' and 'user_110'. The shell command you would use to complete this is:

- A. `scan\ 'Employees\ ', {STARTROW =>\ 'user_100\ ', STOPROW =>\ 'user_111\ '}`
- B. `get\ 'Employees\ ', {STARTROW =>\ 'user_100\ ', STOPROW =>\ 'user_110\ '}`
- C. `scan\ 'Employees\ ', {STARTROW =>\ 'user_100\ ', SLIMIT => 10}`
- D. `scan\ 'Employees\ ', {STARTROW =>\ 'user_100\ ', STOPROW =>\ 'user_110\ '}`

Correct Answer: D

[CCB-400 PDF Dumps](#)

[CCB-400 VCE Dumps](#)

[CCB-400 Exam Questions](#)