



CEN^{Q&As}

Certified Emergency Nurse

Pass Medical Tests CEN Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

<https://www.pass4itsure.com/cen.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Medical Tests Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are caring for a patient in the emergency department. The patient has been drinking alcohol and is asking for medication. When you instruct the patient that they have to wait to be seen by the doctor, the patient becomes verbally abusive. You then obtain a set of restraints and instruct the patient if they do not calm down you will restrain them. What can you be charged with?

- A. Assault
- B. Battery
- C. Negligence
- D. Invasion of privacy

Correct Answer: A

You as the nurse can be charged with assault for threatening to restrain the patient. You as the nurse have put the patient in fear of harmful or offensive contact. In order for this to be a chargeable offense, the patient must be aware of the threat.

QUESTION 2

Your patient with emphysema is receiving oxygen. What flow rate would you not want to exceed for this patient?

- A. 1 L/min
- B. 2 L/min
- C. 6 L/min
- D. 10 L/min

Correct Answer: B

The oxygen level for an emphysema patient should not exceed 2 L/min. The patient has been in a longstanding hypercapnia, which leads to the patient's drive to breathe being triggered by low oxygen levels. Too much oxygen would lead to the patient losing their drive to breathe.

QUESTION 3

What adverse effect would you observe in a patient who is taking an excessive amount of bupropion (Wellbutrin)?

- A. Dizziness when getting up
- B. Seizure activity
- C. Increased weight
- D. Constipation



Correct Answer: B

The patient would begin to have seizures if they are taking an excess amount of bupropion (Wellbutrin). A dosage of more than 450 mg daily is considered to be excessive. Weight gain and constipation are common side effects of this medication. Orthostatic hypotension is not a side effect of this medication.

QUESTION 4

You are assessing a patient with acute exacerbation of COPD. What would you expect to find on this assessment?

- A. Increased oxygen saturation
- B. Hypocapnia
- C. A hyperinflated chest on x-ray film
- D. A widened diaphragm on chest x-ray film

Correct Answer: C

The patient with COPD in exacerbation would have a hyperinflated chest on x-ray film. Other signs and symptoms would include hypoxemia, hypercapnia, dyspnea and use of accessory muscles. The diaphragm would be flattened with this patient.

QUESTION 5

You receive an order for 1000 mL of normal saline over 12 hours. The drop factor is 15 drops per 1 mL. You prepare to set the flow rate at how many drops per minute?

- A. 15 drops a minute
- B. 17 drops a minute
- C. 21 drops a minute
- D. 23 drops a minute

Correct Answer: C

The drop rate is 21 drops a minute.

[Latest CEN Dumps](#)

[CEN VCE Dumps](#)

[CEN Exam Questions](#)