



CEN^{Q&As}

Certified Emergency Nurse

Pass Medical Tests CEN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/cen.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Medical Tests Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is the proper technique for opening the airway on a trauma patient?

- A. Head tilt-chin lift
- B. Flexed position
- C. Modified head tilt-chin lift
- D. Jaw thrust maneuver

Correct Answer: D

To open the airway of any patient that might have a neck injury the nurse would perform a jaw thrust maneuver. All of the other options do not protect the neck from further injury.

QUESTION 2

What signs and symptoms would a patient with stage I Lyme disease have?

- A. Signs of neurological disorders
- B. Enlarged and inflamed joints
- C. Arthralgias
- D. Flu-like symptoms

Correct Answer: D

Stage I Lyme disease begins with a rash at the bite within 2 to 30 days. Then the patient develops Flu-like symptoms that last 7 to 10 days and may reoccur at a later date. Neurological symptoms occur in stage II, and arthralgias and inflamed joints occur in stage III.

QUESTION 3

You are preparing to give an intravenous dose of 400,000 units of penicillin G benzathine (Bicillin). The 10 mL ampule label reads penicillin G benzathine 300,000 units per mL. You prepare to administer how much of the medication?

- A. 1.3 mL
- B. 1.5 mL
- C. 10 mL
- D. 13 mL

Correct Answer: A

The nurse would administer 1.3 mL of penicillin G benzathine.



Desired dose: 400,000 units

Available concentration: 300,000 units (Units) per 1 mL (Volume)

QUESTION 4

You are caring for a patient who has been taking methylergonovine maleate (Methergine) for postpartum hemorrhage. It is not helping to control the hemorrhage. What procedure will most likely be ordered for this patient?

- A. Dilatation and curettage
- B. Laparotomy
- C. Hysterotomy
- D. Hysterectomy

Correct Answer: A

The patient will most likely need a dilatation and curettage. This vaginal procedure is to remove retained tissue from the uterus. The other procedures would be inappropriate for this type of hemorrhage.

QUESTION 5

You are planning to draw an arterial blood gas from your patient, but you must perform an Allen's test first. You know that the Allen's test is used to test what?

- A. Popliteal circulation
- B. Ulnar circulation
- C. Femoral circulation
- D. Carotid circulation

Correct Answer: B

The Allen's test is used to test the ulnar circulation prior to drawing blood from an artery. This determines whether there is adequate collateral circulation to the hand prior to drawing the blood. If damage is done to the radial artery with ulnar circulation, the hand could suffer from severe ischemic injury.

[Latest CEN Dumps](#)

[CEN Practice Test](#)

[CEN Exam Questions](#)