



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/certified-hemodialysis-technician-cht.html>  
2024 Latest pass4itsure CERTIFIED-HEMODIALYSIS-TECHNICIAN-CHT PDF  
and VCE dumps Download

---

# **CERTIFIED-HEMODIALYSIS- TECHNICIAN-CHT<sup>Q&As</sup>**

BONENT Certified Hemodialysis Technician CHT

**Pass BONENT CERTIFIED-HEMODIALYSIS-  
TECHNICIAN-CHT Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/certified-hemodialysis-technician-cht.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by BONENT  
Official Exam Center



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/certified-hemodialysis-technician-cht.html>  
2024 Latest pass4itsure CERTIFIED-HEMODIALYSIS-TECHNICIAN-CHT PDF  
and VCE dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

The major cause associated with the failure of the arteriovenous (AV) graft is

- A. aneurysm.
- B. rejection.
- C. thrombosis.
- D. steal syndrome.

Correct Answer: C

---

### QUESTION 2

The MOST common cause of hypotension during hemodialysis is the removal of sodium and water from the

- A. intracellular space by osmosis.
- B. intravascular space by diffusion.
- C. intravascular space by ultrafiltration (UF).
- D. intracellular space by UF.

Correct Answer: C

---

### QUESTION 3

All of the following are likely contributing factors to frequent clotting of dialyzers on a machine EXCEPT

- A. access recirculation
- B. high ultrafiltration (UF).
- C. high dialysate flow rate.
- D. inadequate heparinization.

Correct Answer: C

---

### QUESTION 4

A reused dialyzer has been set up for a patient. The patient's name is written on the dialyzer, but there is no reprocessing sticker on the dialyzer. What should the technician do?

- A. Run the patient on the dialyzer.



- B. Return the dialyzer to the reprocessing staff to have a sticker added.
- C. Set up another dialyzer for the patient.
- D. Ask the patient if this is his dialyzer.

Correct Answer: C

---

#### QUESTION 5

The patient's laboratory results are positive for Human Immunodeficiency Virus (HIV) antibodies. A correct statement regarding HIV-positive patients on dialysis is that they can be dialyzed

- A. in a hospital-based or freestanding unit using dialysis precautions.
- B. only in hospital-based dialysis units with isolation stations.
- C. in hospital-based or freestanding units with isolation stations.
- D. only in units with isolation stations using dialysis precautions.

Correct Answer: C

[CERTIFIED-HEMODIALYSIS-TECHNICIAN-CHT PDF Dumps](#)

[CERTIFIED-HEMODIALYSIS-TECHNICIAN-CHT VCE Dumps](#)

[CERTIFIED-HEMODIALYSIS-TECHNICIAN-CHT Practice Test](#)