



# CLAD<sup>Q&As</sup>

Certified LabVIEW Associate Developer Examination

## Pass NI CLAD Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/clad.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by NI Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following statements is true about the following block diagram?



- A. The loop will execute once and the iteration terminal, **i**, will output a value of one
- B. The loop will execute once and the iteration terminal, **i**, will output a value of zero
- C. The loop will execute infinitely and the program will have to be aborted
- D. The loop will not execute and the iteration terminal, **i**, will return a null value

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

**QUESTION 2**

For implementing state diagrams that allow future application scalability, the best choice for a base structure is?


- A. Sequence structure
- B. Case structure
- C. Formula node
- D. Object-Oriented structure

Correct Answer: B



### QUESTION 3

What is the result in Array after the following code has executed?



- A. A 1-D array of {1, 4, 3, 2, 1, 0}
- B. A 1-D array of {1, 8, 0, 1, 2, 3, 4, 6, 2}
- C. A 1-D array of {1, 4, 3, 2, 1, 0, 8, 6, 2}
- D. A 1-D array of {1, 8, 0, 1, 2, 2, 9}

Correct Answer: C

### QUESTION 4

Clusters provide a user with which of the following benefits?

- A. Clusters allow a logical grouping of related data elements.
- B. Clusters increase the number of Connector Pane terminals of SubVI's.
- C. Clusters help to reduce wire clutter on the Block Diagram.
- D. Both A. and C.

Correct Answer: D

### QUESTION 5

Which of the following apply to Property Nodes? (Choose all apply)

- A. Property Nodes allow attributes of front panel objects to be programmatically manipulated.



- B. Property Nodes can be used to update the values contained in a front panel object.
- C. More than one Property Node can be used for a single front panel object.
- D. Property Nodes contained in a SubVI will always cause the front panel to be loaded in memory.

Correct Answer: ABCD

[Latest CLAD Dumps](#)

[CLAD Study Guide](#)

[CLAD Brindumps](#)