



CORESPRINGV3.2^{Q&As}

Core-Spring (based on Spring 3.2)

Pass SpringSource CORESPRINGV3.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/corespringv3-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by
SpringSource Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

If the propagation behavior is `Propagation.REQUIRES_NEW`, choose the statement which describes the propagation behavior (select one)

- A. Runs in a nested transaction if an active transaction exists. If an active transaction does not exist, the transaction behaves as if `Propagation.REQUIRED` is set
- B. Supports a transaction if one already exists. Throws an exception if an active transaction does not exist.
- C. Always starts a new transaction. If an active transaction already exists, it is suspended
- D. Always executes without a transaction even if an active transaction exists. Throws an exception if an active transaction exists.

Correct Answer: C

QUESTION 2

Consider the following code sample which creates an `ApplicationContext` from a file called "applicationconfig.xml" in the "rewards.internal" package, and a file called test-infra-config.xml in the current folder: `ApplicationContext context = new FileSystemXmlApplicationContext("classpath:rewards.internal.application-config.xml", "file:test-infra-config.xml");` Which of those statements is true? (select one)

- A. The use of the "file" prefix is not necessary
- B. The use of the "classpath" prefix is not necessary
- C. The use of the "." separator is correct
- D. Both a and b

Correct Answer: A

QUESTION 3

If you annotate one of your classes with `@Component`, which of the following should you do to have Spring automatically detect your class and load it as a bean? (Select one or several answers)

- A. Ensure that you specify a valid bean name in the `@Component` annotation
- B. Ensure that you specify a valid `@Scope` for the bean
- C. Ensure that you have added in the XML configuration
- D. Ensure that is specified in the XML configuration

Correct Answer: C



QUESTION 4

You want to externalize constants from your Spring XML configuration file into a .properties file to your Spring beans. Which mechanism could you use? (select one)

- A. Use a PropertyEditor
- B. Use a PropertyPlaceholderConfigurer
- C. Use
- D. Use a BeanPostProcessor

Correct Answer: B

QUESTION 5

Which of the following statements is NOT true about advice types and exception handling? (select one)

- A. If a Before advice method throws an exception, the target method will not be called
- B. An Around advice type can swallow, or halt the propagation of, an exception thrown by the target method.
- C. An AfterReturning advice type can swallow, or halt the propagation of, an exception thrown by the target method.

Correct Answer: C

[CORESPRINGV3.2 VCE Dumps](#)

[CORESPRINGV3.2 Study Guide](#)

[CORESPRINGV3.2 Braindumps](#)