



CTAL-TAE^{Q&As}

Certified Tester Advanced Level - Test Automation Engineer (CTAL-TAE)

Pass ISQI CTAL-TAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ctal-tae.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ISQI Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Consider a TAS that is going to be deployed for the first time. The TAS requires share resources and run it its own test environment. The infrastructure for the TAS has been created along with maintenance procedures. It is very unlikely the TAS will be required to work in other target Environments. There is a high-risk that when the TAS is deployed in its own test environment, a number of existing application will no longer work because of conflicts with the existing shared resources. Which of the following activities would you expect to be MOST effective at mitigating the risk associated with the first deployment of the TAS?

- A. Testing the TAS for application compatibility issues in the target environment
- B. Testing the TAS for its ability to be implemented in other target test environments.
- C. Testing the TAS for regressions due to optimization that fix non-functional issues.
- D. Testing the TAS for ITS ability to run a shared test environment

Correct Answer: B

QUESTION 2

Which of the following statements about the reuse of TAS artefacts is TRUE?

- A. Reusable TAS artefacts can include components (or parts of components) associated with different layers of the TAA
- B. To enable reuse of TAS artefacts, a good design for reuse is built into the TAA and to further action are needed during the TAS lifecycle
- C. Communications maintenance and improvements for reusing TAS artefacts are modify addressed during the design of the TAA
- D. Reusable TAS artifacts associated with the definition layer of the TAA include the adaptors to the SUT components and/or interfaces

Correct Answer: A

QUESTION 3

You are reviewing the testability of your SUT.

Which of the following BEST refers to the characteristic of OBSERVABILITY?

- A. The ability of the SUT to perform its intended function for a specified period of time
- B. The ability to exercise the SUT by entering inputs, triggering events and invoking methods
- C. The ability of the SUT to prevent unauthorized access to its components or data.
- D. The ability to identify states, outputs, intermediate result and error messages in the SUT



Correct Answer: A

QUESTION 4

Which of the following statement about the implementation of automated regression testing is FALSE?

- A. When automating regression tests, the structure of automated tests must always be the same as the corresponding manual tests
- B. When automating regression tests, the corresponding manual tests should have already been executed to verify they operate correctly
- C. When automating regression tests, the initialization steps set the test preconditions should be automated wherever possible
- D. When automating regression tests, consideration should be given to how much time would be saved by automation

Correct Answer: B

QUESTION 5

Consider a SUT that small run on multiple platform during the execution of automated test runs. In each test run an automated test suite needs to be executed, with the same version of the TAF, against the same version of the SUT of each platform. Each platform shall have its own dedicated test environment. Your goal is to implement a process as automated as possible (i.e with minimal manual intervention) that allows implementing a consistent setup of the TAS across the multiple test environments. Which two of the following aspects are MOST relevant for achieving your goal in this scenario?

- A) The configuration of the TAS uses automated installation scripts
 - B) The TAF saves the logs needed to debug errors in XML format
 - C) Features of the TAF not used by the automated tests have been tested
 - D) All the automated test cases contain the expected results
 - E) The TAS components are under configuration management
- A. A and E
 - B. B and C
 - C. B and D
 - D. A and D

Correct Answer: A

[Latest CTAL-TAE Dumps](#)

[CTAL-TAE VCE Dumps](#)

[CTAL-TAE Practice Test](#)