CWAP-403^{Q&As}

Certified Wireless Analysis Professional

Pass CWNP CWAP-403 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/cwap-403.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF Pass4itSure.com

https://www.pass4itsure.com/cwap-403.html

2024 Latest pass4itsure CWAP-403 PDF and VCE dumps Download

QUESTION 1

You have installed a new 802.11ac WLAN configured with 80 MHz channels. Users in one area are complaining about poor performance. This area is currently served by a single AP. You take a spectrum analysis capture in the poor performing area. While examining the waterfall plot you notice the airtime utilization is higher on the first 20 MHz of the 80 MHz channel when compared to the rest of the channel. What do you conclude?

- A. The AP is misconfigured and needs to be reconfigured to 80MHz operation
- B. RRM is enabled and has dynamically picked a 20 MHz channel
- C. The first 20 MHz is the AP\\'s primary channel and higher airtime utilization on the primary channel is normal when an AP Is configured for 80 MHz operation
- D. Non Wi-Fi interference is preventing the APs 80 MHz operation

Correct Answer: C

QUESTION 2

How does a VoIP Phone, using WMM Power Save, request data frames buffered at the AP?

- A. The VoIP phone transmits a PS-Poll frame
- B. The VoIP phone transmits a trigger frame
- C. The VoIP phone sets the More Data bit in the MAC Header to 1
- D. The VoIP phone The VoIP transmits a WMM Action frame

Correct Answer: B

QUESTION 3

When performing protocol analysis, you notice a high number of RTS/CTS frames being transmitted on an HT network. You suspect this may be due to HT protection mechanisms. Where in the Beacon frame would you look to determine which one of the four HT protection modes the AP is operating in?

- A. HT Protection Element
- B. HT Information Element
- C. HT Operation Element
- D. Non-HT Present Element

Correct Answer: A

QUESTION 4



https://www.pass4itsure.com/cwap-403.html 2024 Latest pass4itsure CWAP-403 PDF and VCE dumps Download

Where would you look in a packet trace file to identify the configured Minimum Basic Rate (MBR) of a BSS?

- A. Supported Rates and Extended Supported Rates elements in a Beacon frame
- B. In the MBR Action frame
- C. In the Minimum Basic Rate Element in a Beacon frame
- D. In the MBR Information Element in an Association Response frame

Correct Answer: A

QUESTION 5

- A. The customer should replace all their Bluetooth wireless mice as they are stopping the users on floor 5 from connecting to the wireless network
- B. The users on floor 5 are being subjected to a denial of service attack, as this is happening across the entire floor it is likely to be a misconfigured WIPS solution belonging to the tenants on the floor below
- C. The customers APs are misbehaving and a technical support case should be open with the vendor
- D. The CCI from the APs on the floor 4 is the problem and you need to ask the tenant below to turn down their AP\\'s Tx power

Correct Answer: A

Latest CWAP-403 Dumps

CWAP-403 Study Guide

CWAP-403 Braindumps