



# CWNA-106<sup>Q&As</sup>

Certified Wireless Network Administrator

**Pass CWNP CWNA-106 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/cwna-106.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

ABC Hospital is planning a Wi-Fi infrastructure upgrade where the 802.11b/g APs (HR/DSSS and ERP) would be replaced with new dual-radio 802.11n/802.11ac (HT and VHT) APs. ABC wants to minimize the time and cost associated with performing a new site survey, so they will be mounting all of the new APs in the same locations and with the same cable drops as the existing APs.

What is one performance drawback with this deployment method?

- A. Multipath will increase, causing excessive layer-2 retransmissions. The retransmissions will cause latency for VoWiFi handsets.
- B. Increased receiver sensitivity on the VHT APs will cause them to continually change channels to avoid co-channel interference.
- C. If the existing UTP cabling is not Category 3 or better, the total Ethernet backhaul for each AP will be limited to 100 Mbps.
- D. The existing WLAN plan, including the AP locations, may not provide the benefits seen in HT and VHT 802.11 PHY capabilities.

Correct Answer: D

---

**QUESTION 2**

What is a common feature of an 802.11 WLAN client utility? (Choose 2)

- A. Real-time retry monitor
- B. AP Signal strength meter
- C. Spectrum analyzer utility
- D. VLAN configuration
- E. Link statistics display

Correct Answer: BE

---

**QUESTION 3**

How is throughput capacity scaled in a single channel architecture (SCA) WLAN system?

- A. By increasing transmit power and placing APs that are on a single channel farther from one another.
- B. By adding more SSIDs to existing APs to spread users across different contention domains.



- C. By adding non-overlapping channel layers through the addition of more APs.
- D. By using downlink data compression and uplink flow control at the AP.

Correct Answer: C

---

#### QUESTION 4

What threecipher suites are specified by the IEEE 802.11-2012 standard? (Choose 3)

- A. Counter Modewith CBC-MAC Protocol
- B. Wi-Fi Protected Access v1 and v2
- C. Internet Protocol Security
- D. Extensible Authentication Protocol
- E. GCM with Galois Message AuthenticationCode (GMAC) Protocol
- F. Wired Equivalent Privacy
- G. Temporal Key Integrity Protocol

Correct Answer: AFG

---

#### QUESTION 5

For what likely reasons might an organization choose to purchase an AP designed for outdoor deployment to use as an indoor WLAN AP at an industrial facility? (Choose 2)

- A. Aesthetic requirements
- B. Physical security and theft prevention
- C. Protection from environmental conditions
- D. Reduce transient RF interference
- E. 802.11 securitycompliance

Correct Answer: BC

[CWNA-106 VCE Dumps](#)

[CWNA-106 Study Guide](#)

[CWNA-106 Exam Questions](#)