



# CWNA-108<sup>Q&As</sup>

Certified Wireless Network Administrator

## Pass CWNP CWNA-108 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/cwna-108.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You support a WLAN using dual-band 802.11ac three stream access points. All access points have both the 2.4 GHz and 5 GHz radios enabled and use 40 MHz channels in 5 GHz and 20 MHz channels in 2.4 GHz. A manager is concerned

about the fact that each access point is connected using a 1 Gbps Ethernet link. He is concerned that the Ethernet link will not be able to handle the load from the wireless radios.

What do you tell him?

- A. His concern is valid and the company should upgrade all Ethernet links to 10 Gbps immediately.
- B. His concern is valid and the company should immediately plan to run a second 1 Gbps Ethernet link to each AP.
- C. His concern is invalid because the AP will compress all data before transmitting it onto the Ethernet link.
- D. Due to 802.11 network operations and the dynamic rates used by devices on the network, the two radios will likely not exceed the 1 Gbps Ethernet link.

Correct Answer: A

---

**QUESTION 2**

What feature of 802.11ax (HE) may impact design decisions related to AP placement and the spacing between same-channel BSS cells (3SAs) because it is designed to reduce overlapping BSS contention?

- A. TWT
- B. BSS Color
- C. uplink MU-MIMO
- D. 6 GHz band support

Correct Answer: B

---

**QUESTION 3**

Your consulting firm has recently been hired to complete a site survey for a company. Your engineers use predictive design software for the task, but the company insists on a pre-deployment site visit.

What task should be performed as part of the pre-deployment visit to prepare for a predictive design?

- A. Evaluate the building materials at ABC's facility and confirm that the floor plan documents are consistent with the actual building
- B. Install at least one AP on each side of the exterior walls to test for co-channel interference through these walls
- C. Test several antenna types connected to the intended APs for use in the eventual deployment



D. Collect information about the company's security requirements and the current configuration of their RADIUS and user database servers

Correct Answer: A

---

#### QUESTION 4

Which one of the following is not a factor considered when calculating the Link Budget for an outdoor point-to-point WLAN bridge link?

- A. MU-MIMO capabilities of the bridges
- B. Receive antenna gain
- C. Transmit power
- D. Operating frequency

Correct Answer: A

---

#### QUESTION 5

You administer a WLAN that offers a guest SSID of GUESTNETWORK. Users connect to the GUESTNETWORK SSID, but report that they cannot browse the Internet. The devices simply report no Internet connection. What common problem causes this scenario?

- A. NTP issues
- B. Hardware issues
- C. IP routing issues
- D. Captive portal issues

Correct Answer: C

[CWNA-108 PDF Dumps](#)

[CWNA-108 VCE Dumps](#)

[CWNA-108 Study Guide](#)