



# DEA-5TT1<sup>Q&As</sup>

Associate - Networking Exam

## Pass EMC DEA-5TT1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/dea-5tt1.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

At which layer of the OSI model is the Rapid Spanning Tree protocol used to prevent switching loops?

- A. Physical
- B. Network
- C. Data Link
- D. Transport

Correct Answer: C

---

**QUESTION 2**

A network administrator has a Dell EMC switch that has been configured with several VLANs. Each VLAN switch virtual interface (SVI) has an IP address assigned to it with each of them on different subnets. In addition, routing has been enabled on the switch.

Which action occurs when the switch receives a packet on one of its SVIs but the destination IP address of the packet does not match the IP address of that SVI?

- A. Switch checks its routing table and forwards the packet accordingly.
- B. Switch duplicates the packet and sends it to all interfaces.
- C. Switch replies back to the source with an ICMP Reject packet.
- D. Switch drops the packet.

Correct Answer: A

---

**QUESTION 3**

A network administrator has a stack of four Dell EMC Networking S4800 Series switches. Each stack unit is configured with a different priority. Which switch will be elected as the management device?

- A. Switch with priority 0
- B. Switch with priority 1
- C. Switch with priority 14
- D. Switch with priority 21

Correct Answer: B

---

**QUESTION 4**



A network administrator wants to use a subnet that will only have two host addresses. Which subnet mask meets this requirement?

- A. 255.255.255.248
- B. 255.255.255.252
- C. 255.255.255.254
- D. 255.255.255.256

Correct Answer: B

---

#### QUESTION 5

What are Network Address Translation (NAT) inside global addresses?

- A. Addresses used by NAT router when sending frames to devices on the local network
- B. Public IP addresses used by the local network to communicate with the Internet
- C. Private IP addresses used by the local network
- D. Public addresses used by other networks outside of the local network

Correct Answer: B

[Latest DEA-5TT1 Dumps](#)

[DEA-5TT1 Study Guide](#)

[DEA-5TT1 Braindumps](#)