DES-1121^{Q&As}

Specialist - Implementation Engineer PowerMax and VMAX Family
Solutions Version 1.0

Pass EMC DES-1121 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/des-1121.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

What would the RDF device and Link states be after an SRDF Update operation?

A. R1=WD Link=RW. R2=RW

B. R1=RW Link=NR. R2=RW

C. R1=WD Link=NR R2=RW

D. R1=RW Link=RW; R2=WD

Correct Answer: D

QUESTION 2

What is a minimum requirement for Dell EMC VSI 8.0 on a VMAX All Flash array?

A. Unisphere 8.x

B. Unisphere 9.x

C. 5977 1125.1125

D. 5977.1131.1131

Correct Answer: C

QUESTION 3

How does Solutions Enabler use Gatekeepers to pass commands to the PowerMax array?

A. Automatically creates the Gatekeeper and unlocks the device. Processes the system commands; locks and deletes the Gatekeeper

B. Obtains the Gatekeeper and locks the device. Processes the system commands and unlocks the device

C. Obtains the Gatekeeper and unlocks the device Processes the system commands and locks the device.

D. Automatically creates the Gatekeeper and locks the device Processes the system commands; unlocks and deletes the Gatekeeper.

Correct Answer: C

QUESTION 4

What is the status of the Host I/O paths to the target array after a Non-Disruptive Migration Cutover?

A. Read/Write Enabled

B. Write Disabled

C. Dead

D. Inactive

Correct Answer: A

QUESTION 5

Production work has been started on the R2 devices after an 5RDF Failover operation. Where will the changes made to the R2 devices be reflected in the SRDF Query output shown in the exhibit?

A. 1

B. 2

C. 3

D. 4

Correct Answer: A

[Latest DES-1121 Dumps](#)   [DES-1121 Practice Test](#)   [DES-1121 Braindumps](#)