



# DES-1241<sup>Q&As</sup>

Specialist - Platform Engineer, PowerStore

## Pass Dell DES-1241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-1241.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Dell Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**

DRAG DROP

Correctly order the steps of the embedded module replacement procedure.

Select and Place:

Push the orange tab to release the lever of the embedded module	Step 1
Power down the node	Step 2
Label and disconnect all cables attached to the embedded module	Step 3
Align the embedded module with the empty slot and carefully push it into the slot	Step 4
Remove the 4-port card from the old embedded module and install it into the new embedded module	Step 5

Correct Answer:

	Label and disconnect all cables attached to the embedded module
	Push the orange tab to release the lever of the embedded module
	Remove the 4-port card from the old embedded module and install it into the new embedded module
	Align the embedded module with the empty slot and carefully push it into the slot
	Power down the node

Reference: [https://topics-cdn.dell.com/pdf/pwrstr-isg\\_en-us.pdf](https://topics-cdn.dell.com/pdf/pwrstr-isg_en-us.pdf)



### QUESTION 2

Which component can be replaced while the Dell EMC PowerStore is up and running?

- A. 4-Port Mezz card
- B. SFP
- C. M.2 Device
- D. LCC

Correct Answer: B

---

### QUESTION 3

What does the output of the PSTCLI command "nas\_server show" display from a Dell EMC PowerStore T?

- A. If NAS servers are present if they are either NFS or Licensed
- B. Memory utilization and thread count for NFS NAS servers
- C. If NAS servers are present and if they are either Started or Degraded
- D. SIDs of SMB NAS servers joined to the AD Domain

Correct Answer: A

---

### QUESTION 4

A Storage Administrator wants to upgrade a two appliance Dell EMC PowerStore cluster. Which Commit options need to be chosen to have all appliances upgraded in the last step?

- A. Appliance, Cluster
- B. Appliance, Appliance
- C. Cluster, Appliance
- D. Cluster, Cluster

Correct Answer: B

---

### QUESTION 5

Which Dell EMC PowerStore network uses an appliance backplane?



- A. ICD
- B. MPIO
- C. Inter-node
- D. Inter-cluster management

Correct Answer: C

Reference: <https://blocksandfiles.com/2020/05/05/dell-emc-powerstore-midrange-array-launch-analysis/>

[Latest DES-1241 Dumps](#)

[DES-1241 Study Guide](#)

[DES-1241 Exam Questions](#)