



DES-1423^{Q&As}

Specialist Implementation Engineer Isilon Solutions Exam

Pass EMC DES-1423 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-1423.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are the two ways a FlexProtect job can start?

- A. An at or batch command and Non-event driven
- B. Administrative and Even-driven
- C. An at or batch command and Alert-driven
- D. Administrative and Alert-driven

Correct Answer: D

QUESTION 2

DRAG DROP

What is the correct sequence of actions performed by OneFS to generate an access token?

Select and Place:

Answer Area

Perform user mapping	Step 1
Look up user in external directory services	Step 2
Determine on-disk identity	Step 3
Perform ID mapping	Step 4

Correct Answer:



Answer Area

Answer area for the question, consisting of four empty text input fields.

Look up user in external directory services


Determine on-disk identity

Perform ID mapping

Perform user mapping

QUESTION 3

DRAG DROP Refer to the Exhibit.



In an Isilon environment, match the connectivity type to the proper numerical port reference shown in the exhibit.

Select and Place:

**Answer Area****Connectivity Type****Port Reference**

Power Connectivity
Serial Connectivity
External Network Connectivity
Internal Network Connectivity

1
2
3
4

Correct Answer:

Answer Area**Connectivity Type****Port Reference**

Serial Connectivity
Internal Network Connectivity
Power Connectivity
External Network Connectivity

QUESTION 4

An NFS export is created on the Isilon cluster. No clients are listed in the export rules. What is the client behavior when accessing the export?

- A. All clients on the network can access the export.
- B. No clients on the network can access the export.
- C. Clients can access the export with read-only permissions.



D. Clients that access the export are mapped as root.

Correct Answer: B

QUESTION 5

A company has an Isilon cluster that is joined to an Active Directory (AD) domain. Previously, the company replaced their primary NTP server and added new NTP settings to the Isilon cluster. Now the users are experiencing authentication failures.

What is a possible reason for this behavior?

- A. Cluster and the AD are configured to use the same NTP server.
- B. AD is not configured to synchronize its time from the cluster.
- C. SMB time is not configured on the cluster to synchronize with the AD.
- D. Time between the NTP and the AD differentiates by more than 5 minutes.

Correct Answer: B

Reference: <https://www.dell.com/community/Isilon/NTP-and-Active-Directory/td-p/6954393>

[Latest DES-1423 Dumps](#)

[DES-1423 Study Guide](#)

[DES-1423 Braindumps](#)