



DES-1D12^{Q&As}

Specialist - Technology Architect Midrange Storage Solutions

Pass EMC DES-1D12 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-1d12.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which QoS option is NOT supported by Dell EMC Unity XT?

- A. Attached Snapshot
- B. Individual or Group LUN
- C. VMFS Datastore
- D. iSCSI

Correct Answer: D

QoS – Rate limiting

Protect against “Noisy Neighbor”

-

512 Limits

-

More granular control

-

Limit by IOPS, BW, or both

-

Apply to:

-

Individual LUNs

-

Group of LUNs

-

VMFS Datastores

-

Attached Snapshots

-

Can assign total limit to be shared among LUNs in Group

-



Can move LUN(s) to other QoS Policy

QUESTION 2

Which optional I/O Module card type is supported for both Dell PowerStore T and Dell PowerStore X?

- A. 25GbE
- B. 8 Gb Fibre Channel
- C. 10GbEBaseT
- D. 32 Gb Fibre Channel

Correct Answer: C

Both Dell PowerStore T and Dell PowerStore X support the 10 GbE BaseT optional I/O module card type. This card provides 10 Gbps Ethernet connectivity and can be used to connect the storage array to a network. The other options are not supported by both models. 25 GbE and 32 Gb Fibre Channel are generally faster and used for high-performance systems, while 8 Gb Fibre Channel is an older standard, and not supported by Dell PowerStore T and Dell PowerStore X.

QUESTION 3

What tabs are available on the Dell EMC PowerStore Manager Dashboard?

- A. Health. Overview. Performance, and Capacity
- B. Health, Efficiency. Performance, and Summary
- C. Performance. Efficiency, and Capacity only
- D. Performance. Overview, and Capacity only

Correct Answer: D

These categories are divided in tabs: Overview, Capacity, and Performance.

Reference:<https://volumes.blog/2020/05/07/what-is-powerstore-part-6-powerstore-user-interface/>

QUESTION 4

A storage administrator plans to complete a technology refresh from a Dell EqualLogic PS6100 to a Dell EMC PowerStore array. The affected hosts are running native MPIO. What is the recommended method to support an import to PowerStore?

- A. Install DSITV on the hosts
- B. Install EQL Hit Kit on the hosts
- C. Use Dell Storage Manager and select Online Import



D. Install PowerStore ImportKit on the hosts

Correct Answer: D

An install of the PowerStore ImportKIT is required on the hosts to support import to PowerStore.

Reference:<https://docplayer.net/188347142-Dell-emc-powerstore-importing-external-storage-to-powerstore-guide.html>

QUESTION 5

Which file resources are supported with Dell EMC Unity asynchronous replication?

- A. File systems and LUNs
- B. LUNs and VMFS datastores
- C. NAS servers and NFS datastores
- D. Consistency Groups and file systems

Correct Answer: A

Reference: <https://www.delltechnologies.com/en-us/documentation/unity-family/unity-p-replication-config/02-unity-rep-br-workflow.htm>

[Latest DES-1D12 Dumps](#)

[DES-1D12 Exam Questions](#)

[DES-1D12 Braindumps](#)