



# DES-1D12<sup>Q&As</sup>

Specialist - Technology Architect Midrange Storage Solutions

## Pass EMC DES-1D12 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-1d12.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A storage administrator is deploying a new Dell Unity XT 880F system. The system will be used over FC by several hosts running production databases. The system will also be used over iSCSI to several hosts running test/dev workloads. The administrator wants to prevent the test/dev hosts from using more than 5000 IOPS.

What Unity XT feature can be used for this configuration?

- A. Thin clones
- B. LUN masking
- C. Host I/O limits
- D. FASTVP

Correct Answer: C

Dell Unity XT's Host I/O limits feature allows you to set limits on IOPS for individual hosts connected over iSCSI. This can be used to restrict the test/dev hosts to a maximum of 5000 IOPS.

---

**QUESTION 2**

What is the Dell EMC best practice for sizing and designing a Dell EMC SC Series solution?

- A. Front-end ports required for performance should always meet capacity needs
- B. Drive capacity should meet performance needs
- C. Size for performance first and capacity second
- D. Size for capacity; Data Progression should always meet performance needs

Correct Answer: C

---

**QUESTION 3**

A customer has invested much time using the Dell PS Series Host Integration Toolkit (HIT) to integrate SAN snapshot protection with Microsoft SQL Server native snapshot technology. The customer expresses concern about whether Dell

EMC SC Series cross-platform replication supports that capability.

What should be your response?

- A. Recreate integration on the SC Series array and use only SC-to-SC replication for those volumes.
- B. Leverage the integration investment and use only PS-to-PS replication on those volumes.
- C. Cross-platform replication works with SC Series HIT integrations.
- D. Cross-platform replication works with PS Series HIT integrations.



Correct Answer: B

---

#### QUESTION 4

A customer asks you about the maximum load of their new Dell EMC SC Series array. Which term should you use in response?

- A. MB
- B. IOPS
- C. CPU Cycles
- D. Latency

Correct Answer: B

Reference: [https://downloads.dell.com/manuals/common/sc-series-performance-availability-best-practices-dell-emc-4024-bp-sc\\_en-us.pdf](https://downloads.dell.com/manuals/common/sc-series-performance-availability-best-practices-dell-emc-4024-bp-sc_en-us.pdf)

---

#### QUESTION 5

Recent legislation requires a government customer to enhance data security by utilizing D@RE with SED drivers and use Level 3 certified security. Which KMS product should be recommended for use with Dell EMC SC Series arrays?

- A. Dell EMC CloudLink
- B. StorSecure StorMagic
- C. Gemalto SafeNet K460
- D. Thales Vormetric VTE

Correct Answer: C

Reference: [https://downloads.dell.com/manuals/all-products/esuprt\\_solutions\\_int/esuprt\\_solutions\\_int\\_solutions\\_resources/s-solution-resources\\_white-papers108\\_en-us.pdf](https://downloads.dell.com/manuals/all-products/esuprt_solutions_int/esuprt_solutions_int_solutions_resources/s-solution-resources_white-papers108_en-us.pdf) (9)

[DES-1D12 PDF Dumps](#)

[DES-1D12 VCE Dumps](#)

[DES-1D12 Exam Questions](#)