



DES-4122^{Q&As}

Specialist - Implementation Engineer PowerEdge Version 2.0

Pass EMC DES-4122 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-4122.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What must be done before upgrading OMSA from the 32-bit to the 64-bit version?


- A. Save the license file
- B. Disable UAC
- C. Back up the configuration
- D. Uninstall the earlier version

Correct Answer: A

QUESTION 2

DRAG DROP

Refer to the exhibit.



Match each callout to the Dell EMC PowerEdge server model shown.

Select and Place:



Callout	Model
3	R730xd
5	R740
1	R7525
4	R730
2	R740xd

Correct Answer:

Callout	Model
	4
	5
	3
	1
	2

QUESTION 3

A Dell EMC PowerEdge server logs the following CPU Machine Check error CPU1 IERR What action might solve the problem?

- A. Remove flea power
- B. Update the Intel driver
- C. Reseat the IDSDM
- D. Swap the PERC controller

Correct Answer: B



QUESTION 4

What is required to use the iSM Automatic System Recovery feature?

- A. Server Administrator installed
- B. OS watchdog timer disabled
- C. Server Administrator not installed
- D. OS watchdog timer enabled

Correct Answer: B

QUESTION 5

A Dell EMC PowerEdge 14G server uses Intel OPTANE DC Persistent Memory in App Direct mode. What is the minimum size DIMM supported for this type of memory?

- A. 64 GB
- B. 128 GB
- C. 256 GB
- D. 512 GB

Correct Answer: C

[Latest DES-4122 Dumps](#)

[DES-4122 Practice Test](#)

[DES-4122 Study Guide](#)