



# DES-4421<sup>Q&As</sup>

Specialist - Implementation Engineer, PowerEdge MX Modular Exam

**Pass EMC DES-4421 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-4421.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An MX7000 administrator has been tasked to perform the initial configuration of a new MX platform. The MX700 has seven MX740c, one MX5016s, two Management Modules (MMs), an LED-Only control panel, two MX9116n in Fabric A, two MX5108n in Fabric B, and two MX5000s in Fabric C.

What is a valid method to perform the initial MX platform configuration?

- A. Use a serial DB9 / DB cable
- B. Use KVM and racadm setniccfg command from MM configuration menu
- C. Use Ethernet front panel port default DHCP address
- D. Use QuickSync 2

Correct Answer: D

Reference:

<https://infohub.delltechnologies.com/static/media/client/7phukh/d3df87a5-ddb7-4917-969d-24e249b52824.pdf>

---

**QUESTION 2**

An administrator has been tasked with specifying hardware for a deployment having the following requirements:

4 node cluster within a single MX7000 chassis Each node needs a minimum of 6x 2.5" drives 3 TB of memory and 64 physical CPU cores per node

What is the maximum hardware configuration that meets the requirements?


- A. MX740c with no storage sleds
- B. MX740c with MX5016s storage sleds
- C. MX840c with no storage sleds
- D. MX 840c with MX5016s storage sleds

Correct Answer: D

---

**QUESTION 3**

Refer to the exhibit.



What is shown?

- A. MX5000s
- B. MX5108n
- C. MX5016s
- D. MXG610s

Correct Answer: C

#### QUESTION 4

Which I/O module is supported for Fabric B?

- A. MX5016s
- B. MSG610s
- C. MX5000s
- D. MX5108n

Correct Answer: D

Reference: <https://hasanmansur.com/2019/01/08/mx7000-networking-part-1-introduction-components/>

#### QUESTION 5

Which MX7000 feature allows an administrator to virtualize network WWN and MAC addresses?

- A. FlexAddress
- B. MX Scalable Architecture
- C. Identity Pool



D. Virtual Top of Rack

Correct Answer: C

Reference: [https://i.dell.com/sites/csdocuments/Product\\_Docs/en/dell\\_emc\\_poweredge\\_mx7000\\_technical\\_guide.pdf](https://i.dell.com/sites/csdocuments/Product_Docs/en/dell_emc_poweredge_mx7000_technical_guide.pdf)  
(p.30)

[DES-4421 VCE Dumps](#)

[DES-4421 Practice Test](#)

[DES-4421 Exam Questions](#)